

## Product datasheet for **TP314125L**

### PIK3AP1 (NM\_152309) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human phosphoinositide-3-kinase adaptor protein 1 (PIK3AP1), 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC214125 representing NM_152309 <b>Red</b> =Cloning site <b>Green</b> =Tags(s)

MAASGVPRGCDILIVYSPDAEEWCQYLQTLFLSSRQVRSQKILTHRLGPEASFSFAEDLSLFLSTRCVWL  
LSAELVQHFHKPSLLPLLQRAFHPHRVRLLCGVRDSEEFDFPDWAHWQELTCDDEPETYVAAVKKA  
ISEDGCDSDTDTEPEDEKVVSYKQQLPTVTSPGNLMVVQPDRIRCGAETTVYVIRCKLDDRVATEA  
EFPEDSPSVRMEAKVENEYTSVKAPNLSSGNVSLKIYSGDLVVCETVISYYTDMEEIGNLLSNAANPV  
EFMCQAFKIVPYNTETLDKLLTESLKNIPASGLHLFGINQLEEDMMTNQRDEELPTLLHFAAKYGLKN  
LTALLTCPGALQAYSVANKHGHYPNTIAEKHGFRLRQFIDEYVETVDMKSHIKEELMHGEEADAVYE  
SMAHLSTDLLMKCSLNPGCDEDLYESMAAFVPAATEDLYVEMLQASTSNPIPGDGFSRATKDSMIRKFLF  
GNSMGMTNLERDQCHLGQEEDVYHTVDDDEAFSVDLASRPPVPRPETTAPGAHQLPDNEPYIFKVFAE  
KSQERPGNFVSSSIRKGPVPRPWRDRPQSSYIDPFAGMKTPGQRQLITLQEYVKGIVNVD EAVLHFK  
EWQLNQQKRSEFRFQQENLKRLRDSITRRQREKQKSGKQTDLEITVPIRHSQHLPAKVEFGVYESGPRK  
SVIPRTELRRGDWKT DSTSSTASSTSNRSSTRSLLSVSSGMEGDNEDNEVPEVTRSRSPGPPQVDGTPT  
MSLERPPRVPPRAASQRPPRETTFHPPPPVPPRGR

**TRTRPLEQLISEEDLAANDILDYKDDDDKV**


Tag:	C-Myc/DDK
Predicted MW:	90.2 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.



[View online »](#)

Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<a href="#">NP_689522</a>
Locus ID:	118788
UniProt ID:	<a href="#">Q6ZUJ8</a> , <a href="#">Q86YV3</a>
RefSeq Size:	4817
Cytogenetics:	10q24.1
RefSeq ORF:	2415
Synonyms:	BCAP
Summary:	Signaling adapter that contributes to B-cell development by linking B-cell receptor (BCR) signaling to the phosphoinositide 3-kinase (PI3K)-Akt signaling pathway. Has a complementary role to the BCR coreceptor CD19, coupling BCR and PI3K activation by providing a docking site for the PI3K subunit PIK3R1. Alternatively, links Toll-like receptor (TLR) signaling to PI3K activation, a process preventing excessive inflammatory cytokine production. Also involved in the activation of PI3K in natural killer cells. May be involved in the survival of mature B-cells via activation of REL.[UniProtKB/Swiss-Prot Function]
Protein Families:	Druggable Genome
Protein Pathways:	B cell receptor signaling pathway

### Product images:



Coomassie blue staining of purified PIK3AP1 protein (Cat# [TP314125]). The protein was produced from HEK293T cells transfected with PIK3AP1 cDNA clone (Cat# [RC214125]) using MegaTran 2.0 (Cat# [TT210002]).