

Product datasheet for TP314166

GALNT1 (NM_020474) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 1 (GalNAc-T1) (GALNT1), 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC214166 representing NM_020474 Red=Cloning site Green=Tags(s)

MRKFAYCKVVLATSLIWVLLDMFLLLYFSECNKCEKGERGLPAGDVLEPVQKPHEGPGEMGKPVVIPKE
DQEKMKEMFKINQFNLMASEMIALNRSLPDVRLLEGCKTKVYPDNLPTTSVVIVFHNEAWSTLLRTVHSVI
NRSRPHMIEEIVLVDASERDFLKRPLESYVKLKVPHVIRMEQRSGLIRARLKGAAVSKGQVITFLDA
HCECTVGWLEPLLARIKHDRRTVVCPIIDVISDDTFEYMAGSDMTYGGFNWKLNFRWYPVPQREMDRRKG
DRTLPRVPTMAGGLFSIDRDYFQEIGTYDAGMDIWGGENLEISFRIWQCGGTLEIVTCSHVGHVFRKAT
PYTFPGGTGQIINKNNRRLAEVWMDEFKNFFYIISPGVTKVDYGDISSRVGLRHKLQCKPFSWYLENIYP
DSQIPRHYFSLGEIRNVETNQCLDNMARKENEKVGIFNCHGMGGNQVFSYANKEIRTDLCLDVSKLNG
PVTMLKCHHLKGNQLWEYDPVKLTLQHVNSNQCLDKATEEDSQVPSIRDCNGSRSQQWLLRNVTLP EIF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	64 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_065207
Locus ID:	2589
UniProt ID:	Q10472 , A0A024RC48 , Q05BM8
RefSeq Size:	3778
Cytogenetics:	18q12.2
RefSeq ORF:	1677
Synonyms:	GALNAC-T1
Summary:	This gene encodes a member of the UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase (GalNAc-T) family of enzymes. GalNAc-Ts initiate mucin-type O-linked glycosylation in the Golgi apparatus by catalyzing the transfer of GalNAc to serine and threonine residues on target proteins. They are characterized by an N-terminal transmembrane domain, a stem region, a luminal catalytic domain containing a GT1 motif and Gal/GalNAc transferase motif, and a C-terminal ricin/lectin-like domain. GalNAc-Ts have different, but overlapping, substrate specificities and patterns of expression. Transcript variants derived from this gene that utilize alternative polyA signals have been described in the literature. [provided by RefSeq, Jul 2008]
Protein Families:	Secreted Protein, Transmembrane
Protein Pathways:	Metabolic pathways, O-Glycan biosynthesis

Product images:



Coomassie blue staining of purified GALNT1 protein (Cat# TP314166). The protein was produced from HEK293T cells transfected with GALNT1 cDNA clone (Cat# [RC214166]) using MegaTran 2.0 (Cat# [TT210002]).