

Product datasheet for TP314967

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ROR1 (NM_005012) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human receptor tyrosine kinase-like orphan receptor 1 (ROR1),

transcript variant 1, 20 µg

Species: Human Expression Host: HEK293T

Expression cDNA Clone >RC214967 representing NM_005012 **or AA Sequence:** Red=Cloning site Green=Tags(s)

MHRPRRGTRPPLLALLAALLLAARGAAAQETELSVSAELVPTSSWNISSELNKDSYLTLDEPMNNITTS
LGQTAELHCKVSGNPPPTIRWFKNDAPVVQEPRRLSFRSTIYGSRLRIRNLDTTDTGYFQCVATNGKEVV
SSTGVLFVKFGPPPTASPGYSDEYEEDGFCQPYRGIACARFIGNRTVYMESLHMQGEIENQITAAFTMIG
TSSHLSDKCSQFAIPSLCHYAFPYCDETSSVPKPRDLCRDECEILENVLCQTEYIFARSNPMILMRLKLP
NCEDLPQPESPEAANCIRIGIPMADPINKNHKCYNSTGVDYRGTVSVTKSGRQCQPWNSQYPHTHTFTAL
RFPELNGGHSYCRNPGNQKEAPWCFTLDENFKSDLCDIPACDSKDSKEKNKMEILYILVPSVAIPLAIAL
LFFFICVCRNNQKSSSAPVQRQPKHVRGQNVEMSMLNAYKPKSKAKELPLSAVRFMEELGECAFGKIYKG
HLYLPGMDHAQLVAIKTLKDYNNPQQWMEFQQEASLMAELHHPNIVCLLGAVTQEQPVCMLFEYINQGDL
HEFLIMRSPHSDVGCSSDEDGTVKSSLDHGDFLHIAIQIAAGMEYLSSHFFVHKDLAARNILIGEQLHVK
ISDLGLSREIYSADYYRVQSKSLLPIRWMPPEAIMYGKFSSDSDIWSFGVVLWEIFSFGLQPYYGFSNQE
VIEMVRKRQLLPCSEDCPPRMYSLMTECWNEIPSRRPRFKDIHVRLRSWEGLSSHTSSTTPSGGNATTQT
TSLSASPVSNLSNPRYPNYMFPSQGITPQGQIAGFIGPPIPQNQRFIPINGYPIPPGYAAFPAAHYQPTG
PPRVIQHCPPPKSRSPSSASGSTSTGHVTSLPSSGSNQEANIPLLPHMSIPNHPGGMGITVFGNKSQKPY
KIDSKQASLLGDANIHGHTESMISAEL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 104.1 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol





ROR1 (NM_005012) Human Recombinant Protein - TP314967

Bioactivity: ELISA capture for autoantibodies (PMID: <u>26562161</u>)

WB positive control (PMID: 26562161)

Affinity purification chromatography (PMID: 26562161)

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 005003

Locus ID: 4919 **UniProt ID:** <u>Q01973</u>

RefSeq Size: 3358
Cytogenetics: 1p31.3
RefSeq ORF: 2811

Synonyms: dJ537F10.1; NTRKR1

Summary: This gene encodes a receptor tyrosine kinase-like orphan receptor that modulates neurite


growth in the central nervous system. The encoded protein is a glycosylated type I membrane protein that belongs to the ROR subfamily of cell surface receptors. It is a pseudokinase that lacks catalytic activity and may interact with the non-canonical Wnt signalling pathway. This gene is highly expressed during early embryonic development but expressed at very low levels in adult tissues. Increased expression of this gene is associated with B-cell chronic lymphocytic leukaemia. Alternative splicing results in multiple transcript variants encoding different

isoforms. [provided by RefSeq, Jun 2012]

Protein Families: Druggable Genome, Protein Kinase, Transmembrane



Product images:





Serum concentrations (ng/ml) of anti-ROR1 autoantibodies in chronic lymphocytic leukemia (CLL) patients and controls, as measured by ELISA against the full-length ROR1 protein (OriGene TP314967). Solid circles: non-progressive CLL; crosses: progressive CLL; blank circles: control donors. Dotted line represents mean+2SD of controls. *** p < 0.0001. Figure cited from PLoS ONE, PMID: 26562161



Anti-ROR1 autoantibodies from three non-progressive (NP) and three progressive (P) chronic lymphocytic leukemia patients were analyzed in Western blot using the recombinant full-length ROR1 protein (OriGene TP314967). A goat anti-ROR1 antibody and an isotype control MAb served as positive and negative controls, respectively. Figure cited from PLoS ONE, PMID: 26562161







Cytotoxicity (%) of leukemic cells induced by the serum IgG fractions from five non-progressive (circles) and five progressive (crosses) chronic lymphocytic leukemia patients before and after the adsorption of sera with the recombinant full-length ROR1 protein (OriGene TP314967). *** p < 0.0001. Figure cited from PLoS ONE, PMID: 26562161

Coomassie blue staining of purified ROR1 protein (Cat# TP314967). The protein was produced from HEK293T cells transfected with ROR1 cDNA clone (Cat# [RC214967]) using MegaTran 2.0 (Cat# [TT210002]).