

Product datasheet for TP315443L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GCET2 (GCSAM) (NM_001008756) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human germinal center expressed transcript 2 (GCET2), transcript

variant 2, 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC215443 representing NM_001008756

or AA Sequence: Red=Cloning site Green=Tags(s)

MGNSLLRENRRQQNTQEMPWNVRMQSPKQRTSRCWDHHIAEGCFCLPWKKILIFEKRQDSQNENER

MSST

PIQDNVDQTYSEELCYTLINHRVLCTRPSGNSAEEYYENVPCKAERPRESLGGTETEYSLLHMPSTDPRH

ARSPEDEYELLMPHRISSHFLQQPRPLMAPSETQFSHL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 12.7 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 001008756

Locus ID: 257144





GCET2 (GCSAM) (NM_001008756) Human Recombinant Protein - TP315443L

UniProt ID: Q8N6F7 RefSeq Size: 3481 Cytogenetics: 3q13.2 RefSeq ORF: 339

Synonyms: GCAT2; germinal center-associated lymphoma; germinal center B cell associated-protein 2;


germinal center expressed transcript 2; HGAL; MGC40441

Summary: This gene encodes a protein which may function in signal transduction pathways and whose

expression is elevated in germinal cell lymphomas. It contains a putative PDZ-interacting domain, an immunoreceptor tyrosine-based activation motif (ITAM), and two putative SH2 binding sites. In B cells, its expression is specifically induced by interleukin-4. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by

RefSeq, Jul 2008]

Product images:



Coomassie blue staining of purified GCET2 protein (Cat# [TP315443]). The protein was produced from HEK293T cells transfected with GCET2 cDNA clone (Cat# [RC215443]) using

MegaTran 2.0 (Cat# [TT210002]).