

Product datasheet for TP315496M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

STK23 (SRPK3) (NM_014370) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human SFRS protein kinase 3 (SRPK3), 100 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC215496 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MSASTGGGGDSGGSGSSSSSQASCGPESSGSELALATPVPQMLQGLLGSDDEEQEDPKDYCKGGYHPVK IGDVFNGRYHVVRKLGWGHFSTVWLCWDIQRKRFVALKVVKSAGHYTETAVDEIKLLKCVRDSDPSDPKR ETIVQLIDDFRISGVNGVHVCMVLEVLGHQLLKWIIKSNYQGLPVPCVKSIVRQVLHGLDYLHTKCKIIH TDIKPENILLCVGDAYIRRLAAEATEWQQAGAPPPSRSIVSTAPQEVLQTGKLSKNKRKKMRRKRKQQKR LLEERLRDLQRLEAMEAATQAEDSGLRLDGGSGSTSSSGCHPGGARAGPSPASSSPAPGGGRSLSAGSQT SGFSGSLFSPASCSILSGSSNQRETGGLLSPSTPFGASNLLVNPLEPQNADKIKIKIADLGNACWVHKHF TEDIQTRQYRAVEVLIGAEYGPPADIWSTACMAFELATGDYLFEPHSGEDYSRDEDHIAHIVELLGDIPP AFALSGRYSREFFNRRGELRHIHNLKHWGLYEVLMEKYEWPLEQATQFSAFLLPMMEYIPEKRASAADCL

QHPWLNP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 61.8 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

STK23 (SRPK3) (NM_014370) Human Recombinant Protein - TP315496M

Bioactivity: SRPK3 activity verified in a biochemical assay: SRPK3 (SRSF protein kinase 3) (TP315496)

activity was measured in a homogeneous time-resolved fluorescent (HTRF®) assay. **SRPK3** is a serine/threonine kinase similar to a protein kinase which is specific for the SR (serine/arginine-rich domain) family of splicing factors. Varying concentrations of **SRPK3** were added to a reaction mix containing ATP and a biotinylated kinase substrate and the reaction mixture was incubated to allow the protein to phosphorylate the substrate. HTRF detection reagents were then added, and the time-resolved fluorescent signal was measured on a Flexstation 3 microplate reader. The time resolved fluorescent signal is expressed as "delta R" or " Δ R" and is

a ratio calculated from the fluorescent emission intensities of the donor and acceptor fluors.

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 055185

Locus ID: 26576
UniProt ID: Q9UPE1
RefSeq Size: 2014
Cytogenetics: Xq28
RefSeq ORF: 1701

Synonyms: MSSK-1; MSSK1; STK23

Summary: This gene encodes a protein kinase similar to a protein kinase which is specific for the SR

(serine/arginine-rich domain) family of splicing factors. A highly similar protein has been shown to play a role in muscle development in mice. Multiple transcript variants encoding different


isoforms have been found for this gene. [provided by RefSeq, Dec 2009]


Protein Families: Druggable Genome, Protein Kinase



Product images:

SRPK3 (TP315496) Activity in an HTRF Assay





Coomassie blue staining of purified SRPK3 protein (Cat# [TP315496]). The protein was produced from HEK293T cells transfected with SRPK3 cDNA clone (Cat# [RC215496]) using MegaTran 2.0 (Cat# [TT210002]).