

Product datasheet for TP315567

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

C3orf37 (HMCES) (NM_020187) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human chromosome 3 open reading frame 37 (C3orf37), transcript

variant 2, 20 µg

Species: Human
Expression Host: HEK293T

Expression cDNA >RC215567 protein sequence Clone or AA Sequence: Red=Cloning site Green=Tags(s)

MCGRTSCHLPRDVLTRACAYQDRRGQQRLPEWRDPDKYCPSYNKSPQSNSPVLLSRLHFEKDADSSERII APMRWGLVPSWFKESDPSKLQFNTTNCRSDTVMEKRSFKVPLGKGRRCVVLADGFYEWQRCQGTNQRQPY FIYFPQIKTEKSGSIGAADSPENWEKVWDNWRLLTMAGIFDCWEPPEGGDVLYSYTIITVDSCKGLSDIH HRMPAILDGEEAVSKWLDFGEVSTQEALKLIHPTENITFHAVSSVVNNSRNNTPECLAPVDLVVKKELRA SGSSQRMLQWLATKSPKKEDSKTPQKEESDVPQWSSQFLQKSPLPTKRGTAGLLEQWLKREKEEEPVAKR

PYSQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 40.4 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 064572





Locus ID: 56941

UniProt ID: Q96FZ2 RefSeg Size: 1638 Cytogenetics: 3q21.3 RefSeq ORF: 1062


Synonyms: C3orf37; DC12; SRAPD1

Summary: Sensor of abasic sites in single-stranded DNA (ssDNA) required to preserve genome integrity by

promoting error-free repair of abasic sites (PubMed:30554877). Acts as an enzyme that recognizes and binds abasic sites in ssDNA at replication forks and chemically modifies the lesion by forming a covalent cross-link with DNA (PubMed:30554877). The HMCES DNA-protein cross-link is then degraded by the proteasome (PubMed:30554877). Promotes error-free repair of abasic sites by acting as a 'suicide' enzyme that is degraded, thereby protecting abasic sites from translesion synthesis (TLS) polymerases and endonucleases that are error-prone and would generate mutations and double-strand breaks (PubMed:30554877). Acts as a protease: mediates autocatalytic processing of its N-terminal methionine in order to expose the catalytic cysteine (By similarity). Specifically binds 5-hydroxymethylcytosine (5hmC)-containing DNA in stem cells (By similarity). May act as an endonuclease that specifically cleaves 5hmC-containing DNA; additional experiments are however required to confirm this activity in vivo (By similarity).

[UniProtKB/Swiss-Prot Function]

Product images:



Coomassie blue staining of purified HMCES protein (Cat# TP315567). The protein was produced from HEK293T cells transfected with HMCES cDNA clone (Cat# [RC215567]) using MegaTran 2.0 (Cat# [TT210002]).