

Product datasheet for **TP315635M**

ADRM1 (NM_007002) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human adhesion regulating molecule 1 (ADRM1), transcript variant 1, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC215635 representing NM_007002 Red =Cloning site Green =Tags(s)

MTTSGALFPSLVPGSRGASNKYLVVEFRAGKMSLKGTTVTPDKRKGLVYIQQTDDSLIHFCWKDRITSGNVE
DDLIIFPDDCEFKRVPQCPSGRVYVLKFKAGSKRLFFWMQEPKTDQDEEHCKRVNEYLNPPMPGALGAS
GSSGHELSALGGEGGLQSLGNMHSQMLQLIGPAGLGGGLGALTGPGLASLLGSSGPPGSSSSSSSR
SQSAAVTPSSTTSSTRATPAPSAPAAASATSPSPAPSSNGASTAASPTQPIQLSDLQILATMNVAPGP
AGGQQVDLASVLTPEIMAPILANADVQERLLPYLPSGESLPQTADIEIQTNTLSPQFQQALGMFSAALASG
QLGPLMCQFGLPAEAVEAANKGDVEAFKAMQNNAKPEQKEGDTKDKKDEEEDMSLD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	40.4 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_008933</u>




[View online »](#)

Locus ID:	11047
UniProt ID:	Q16186
RefSeq Size:	1410
Cytogenetics:	20q13.33
RefSeq ORF:	1221
Synonyms:	ARM-1; ARM1; GP110; PSMD16

Summary: This gene encodes a member of the adhesion regulating molecule 1 protein family. The encoded protein is a component of the proteasome where it acts as a ubiquitin receptor and recruits the deubiquitinating enzyme, ubiquitin carboxyl-terminal hydrolase L5. Increased levels of the encoded protein are associated with increased cell adhesion, which is likely an indirect effect of this intracellular protein. Dysregulation of this gene has been implicated in carcinogenesis. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jul 2013]

Product images:



Coomassie blue staining of purified ADRM1 protein (Cat# [TP315635]). The protein was produced from HEK293T cells transfected with ADRM1 cDNA clone (Cat# [RC215635]) using MegaTran 2.0 (Cat# [TT210002]).