

Product datasheet for **TP315674M**

FUBP1 (NM_003902) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human far upstream element (FUSE) binding protein 1 (FUBP1), 100 µg

Species: Human

Expression Host: HEK293T

Expression cDNA Clone or AA Sequence: >RC215674 representing NM_003902

Red=Cloning site **Green**=Tags(s)

MADYSTVPPPSSGSAGGGGGGGGGVNDAFKDALQRARQIAAKIGGDAGTSLNSNDYGYGGQKRPLEDG
DQPDAAKVAPQNDSFGTQLPPMHQQSRSVMTEEYKVPDGMVGFIIIGRGGEQISRIQQESGCKIQIAPDS
GGLPERSCMLTGTPEVQSAKRLLDQIVEKGRPAPGFHHGDGPGNAVQEIMIPASKAGLVIGKGGETIKQ
LQERAGVKMVMIQDGPQNTGADKPLRITGDPYKVVQAKEMVLELIRDQGGFREVRNEYGSRIGGNEGIDV
PIPRFAVGIVIGRNGEMIKKIQNDAGVRIQFKPDDGTTPERIAQITGPPDRCQHAAEITDLLRSVQAGN
PGGPGGGRGRGRGQGNWNMGPPGGLQEFNFIVPTGKTGLIIGKGGETIKSISQQSGARIELQRNPPPNA
DPNMKLFITRGTPQQIDYARQLIEEKIGGPVNPLGPPVPHGPHGVPVPHGPPGPPGPTMPGYPNPAPYN
PGPPGPAHPGPPAPYAPQGWGNAYPHWQQQAPPDPAKAGTDPNSAAWAAAYAHYYQQQAQPPPAAPAGAP
TTTQTNGQGDQQNAPAGQVDYTKAWEEYKKMGQAVPAPTGAPPGGQPDYSAAWAEYYRQQAAYYAQTS
PQGMPQHPPAPQGQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 67.4 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Bioactivity: EMSA assay (PMID: [25662218](#))

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.


Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.




[View online »](#)

Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_003893</u>
Locus ID:	8880
UniProt ID:	<u>Q96AE4</u>
RefSeq Size:	2884
Cytogenetics:	1p31.1
RefSeq ORF:	1932
Synonyms:	FBP; FUBP; hDH V
Summary:	The protein encoded by this gene is a single stranded DNA-binding protein that binds to multiple DNA elements, including the far upstream element (FUSE) located upstream of c-myc. Binding to FUSE occurs on the non-coding strand, and is important to the regulation of c-myc in undifferentiated cells. This protein contains three domains, an amphipathic helix N-terminal domain, a DNA-binding central domain, and a C-terminal transactivation domain that contains three tyrosine-rich motifs. The N-terminal domain is thought to repress the activity of the C-terminal domain. This protein is also thought to bind RNA, and contains 3'-5' helicase activity with in vitro activity on both DNA-DNA and RNA-RNA duplexes. Aberrant expression of this gene has been found in malignant tissues, and this gene is important to neural system and lung development. Binding of this protein to viral RNA is thought to play a role in several viral diseases, including hepatitis C and hand, foot and mouth disease. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2014]
Protein Families:	Stem cell - Pluripotency, Transcription Factors

Product images:



FUBP1 binds to the wild-type (wt) RNA probe that contains site O. The O-WT or mutated (O-mut, UGU-mut) biotinylated RNA probes (20 fmol) were incubated for 30 min at room temperature with 200 nM of recombinant FUBP1 protein (OriGene [TP315674]) and resolved on a 5% native polyacrylamide gel. The arrow indicates band-shifted complexes. For the competition assay, an excess of unlabeled O-WT RNA probe (200 pmol) was added. Figure cited from Nucleic Acids Res, PMID: 25662218



Coomassie blue staining of purified FUBP1 protein (Cat# [TP315674]). The protein was produced from HEK293T cells transfected with FUBP1 cDNA clone (Cat# [RC215674]) using MegaTran 2.0 (Cat# [TT210002]).