

Product datasheet for TP316045

TXNRD1 (NM_182729) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human thioredoxin reductase 1 (TXNRD1), transcript variant 3, 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC216045 representing NM_182729 Red=Cloning site Green=Tags(s)

MNGPEDLPKSYDYDLIIIGGGSGGLAAAKEAAQYGKKVMVLDFTPTPLGTRWGLGGTCVNVGCIPKKLM
 HQAALLGQALQDSRNYGWKVEETVKHDWDRMIEAVQNHIGSLNWGYRVALREKKVYENAYGQFIGPH
 RI

KATNNKGKEKIYSAERFLIATGERPRYLGI PGDKEYCISSDDLFSLPYCPGKTLVVGASYVALECAGFLA
 GIGLDVTVMVRSILLRGFDQDMANKIGEHEEHGKIFIRQFVPIKVEQIEAGTPGRLRVVAQSTNSEEII
 EGEYNTVMLAIGRDACTRKIGLETGVKINEKTGKIPVTDEEQTNVPYIYAIGDILEDKVELTPVAIQAG
 RLLAQRLYAGSTVKCDYENVPTTVFTPLEYGACGLSEEKAVEKFGEENIEVYHSYFWPLEWTIPSRDNNK
 CYAKIICNTKDNERVVG FHVLPNAGEVTQGFAAALKCGLTKKQLDSTIGIHPVCAEVFTTLSVTKRSGA
 SILQAGCUG


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	54.6 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.


[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_877393
Locus ID:	7296
UniProt ID:	Q16881
RefSeq Size:	3694
Cytogenetics:	12q23.3
RefSeq ORF:	1497
Synonyms:	GRIM-12; TR; TR1; TRXR1; TXNR
Summary:	The protein encoded by this gene belongs to the pyridine nucleotide-disulfide oxidoreductase family, and is a member of the thioredoxin (Trx) system. Three thioredoxin reductase (TrxR) isozymes are found in mammals. TrxRs are selenocysteine-containing flavoenzymes, which reduce thioredoxins, as well as other substrates, and play a key role in redox homoeostasis. This gene encodes an ubiquitously expressed, cytosolic form of TrxR, which functions as a homodimer containing FAD, and selenocysteine (Sec) at the active site. Sec is encoded by UGA codon that normally signals translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, the Sec insertion sequence (SECIS) element, which is necessary for the recognition of UGA as a Sec codon rather than as a stop signal. Alternative splicing, primarily at the 5' end, results in transcript variants encoding same or different isoforms, including a glutaredoxin-containing isoform that is predominantly expressed in testis. [provided by RefSeq, May 2017]
Protein Families:	Druggable Genome
Protein Pathways:	Pyrimidine metabolism

Product images:



Coomassie blue staining of purified TXNRD1 protein (Cat# TP316045). The protein was produced from HEK293T cells transfected with TXNRD1 cDNA clone (Cat# [RC216045]) using MegaTran 2.0 (Cat# [TT210002]).