

Product datasheet for **TP316254M**

PTPN7 (NM_080588) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human protein tyrosine phosphatase, non-receptor type 7 (PTPN7), transcript variant 2, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC216254 protein sequence Red =Cloning site Green =Tags(s)
	<p>MGASFWPIRQAREQQRRALSFRQTSWLSEPLGPAPHLMSMVQAHGGRSRAQPLTSLGAAMTQPPPEKTP AKKHVRLQERRGSNVALMLDVRLGAVEPICSVNTPREVTLHFLRTAGHPLTRWALQRQPPSPKQLEEEF LKIPSNFVSPEDLDIPGHASKDRYKTLPNPQSRVCLGRAQSQEDGDYINANYIRGYDGKEKVIATQGP MPNTVSDFWEMVWQEEVSLIVMLTQLREGKEKCVHYWPTEETYGPFQIRIQDMKECPEYTVRQLTIQYQ EERRSVKHILFSAWPDHQTPEAGPLLRLLVAEVEESPETAHPGPIVVHCSAGIGRTGCFIATRIGCQQL KARGEVDILGIVCQLRLDRGGMIQTAEQYQFLHHTLALYAGQLPEEPSP</p> <p>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-Myc/DDK
Predicted MW:	44.8 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_542155</u>



[View online »](#)

Locus ID: 5778

UniProt ID: [P35236](#), [A0A024R9A7](#), [P35236-2](#)

RefSeq Size: 3265

Cytogenetics: 1q32.1

RefSeq ORF: 1197


Synonyms: BPTP-4; HEPTP; LC-PTP; LPTP; PTPNI

Summary: The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This gene is preferentially expressed in a variety of hematopoietic cells, and is an early response gene in lymphokine stimulated cells. The non-catalytic N-terminus of this PTP can interact with MAP kinases and suppress the MAP kinase activities. This PTP was shown to be involved in the regulation of T cell antigen receptor (TCR) signaling, which was thought to function through dephosphorylating the molecules related to MAP kinase pathway. Multiple alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Dec 2010]

Protein Families: Druggable Genome, Phosphatase

Protein Pathways: MAPK signaling pathway

Product images:



Coomassie blue staining of purified PTPN7 protein (Cat# [TP316254]). The protein was produced from HEK293T cells transfected with PTPN7 cDNA clone (Cat# [RC216254]) using MegaTran 2.0 (Cat# [TT210002]).