

## **Product datasheet for TP316359**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### PYCR1 (NM\_153824) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human pyrroline-5-carboxylate reductase 1 (PYCR1), transcript variant

2, 20 µg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC216359 representing NM\_153824 or AA Sequence: Red=Cloning site Green=Tags(s)

MSVGFIGAGQLAFALAKGFTAAGVLAAHKIMASSPDMDLATVSALRKMGVKLTPHNKETVQHSDVLFLAV KPHIIPFILDEIGADIEDRHIVVSCAAGVTISSIEKKLSAFRPAPRVIRCMTNTPVVVREGATVYATGTH

AQVEDGRLMEQLLSSVGFCTEVEEDLIDAVTGLSGSGPAYAFTALDALADGGVKMGLPRRLAVRLGAQAL LGAAKMLLHSEQHPGQLKDNVSSPGGATIHALHVLESGGFRSLLINAVEASCIRTRELQSMADQEQVSPA

AIKKTILDKDHLPLELGSPEGLHPLLLQYQLARAPS

**TRTRPL**EQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 33.2 kDa

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 722546

Locus ID: 5831



#### PYCR1 (NM\_153824) Human Recombinant Protein - TP316359

UniProt ID: P32322, Q8TBX0

RefSeq Size: 1768

17q25.3 Cytogenetics: 948 RefSeq ORF:

Synonyms: ARCL2B; ARCL3B; P5C; P5CR; PIG45; PP222; PRO3; PYCR

**Summary:** This gene encodes an enzyme that catalyzes the NAD(P)H-dependent conversion of pyrroline-

5-carboxylate to proline. This enzyme may also play a physiologic role in the generation of


NADP(+) in some cell types. The protein forms a homopolymer and localizes to the

mitochondrion. Alternative splicing results in multiple transcript variants. [provided by RefSeq,

Aug 2013]

**Protein Pathways:** Arginine and proline metabolism, Metabolic pathways

# **Product images:**



Coomassie blue staining of purified PYCR1 protein (Cat# TP316359). The protein was produced from HEK293T cells transfected with PYCR1 cDNA clone (Cat# [RC216359]) using

MegaTran 2.0 (Cat# [TT210002]).