

Product datasheet for TP316588M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HNF 4 alpha (HNF4A) (NM_001030004) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human hepatocyte nuclear factor 4, alpha (HNF4A), transcript variant

6, 100 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC216588 representing NM_001030004

or AA Sequence: Red=Cloning site Green=Tags(s)

MVSVNAPLGAPVESSYDTSPSEGTNLNAPNSLGVSALCAICGDRATGKHYGASSCDGCKGFFRRSVRKNH MYSCRFSRQCVVDKDKRNQCRYCRLKKCFRAGMKKEAVQNERDRISTRRSSYEDSSLPSINALLQAEVLS RQITSPVSGINGDIRAKKIASIADVCESMKEQLLVLVEWAKYIPAFCELPLDDQVALLRAHAGEHLLLGA TKRSMVFKDVLLLGNDYIVPRHCPELAEMSRVSIRILDELVLPFQELQIDDNEYAYLKAIIFFDPDAKGL SDPGKIKRLRSQVQVSLEDYINDRQYDSRGRFGELLLLLPTLQSITWQMIEQIQFIKLFGMAKIDNLLQE

MLLGGPCQAQEGRGWSGDSPGDRPHTVSSPLSSLASPLCRFGQVA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 43.8 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol



Bioactivity: HNF4A Activity Verified in a DNA-binding Assay: HNF4A (TP316588, transcript variant 6) activity

was measured in a colorimetric DNA-binding assay. Purified HNF4A protein containing a C-terminal MYC/DDK tag was incubated with biotinylated double-stranded oligonucleotide containing the HNF4A consensus DNA-binding sequence (see below). Following incubation, the reaction was transferred to a streptavidin-coated microplate to allow capture of the DNA-protein complex. After washing, the captured protein was detected with an anti-DDK peroxidase conjugate and colorimetric signal detection with TMB. Specificity of the protein-DNA interaction was confirmed by carrying out the binding in the presence of an unlabeled competitor oligonucleotide and by comparison to binding to an oligonucleotide containing a

mutation in the consensus binding sequence. EMSA reaction positive control (PMID: 29669937)

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 001025175

Locus ID: 3172 UniProt ID: P4123

 UniProt ID:
 P41235

 RefSeq Size:
 1192

Cytogenetics: 20q13.12

RefSeq ORF:

Synonyms: FRTS4; HNF4; HNF4a7; HNF4a8; HNF4a9; HNF4alpha; MODY; MODY1; NR2A1; NR2A21; TCF;

TCF-14; TCF14

1185

Summary: The protein encoded by this gene is a nuclear transcription factor which binds DNA as a

homodimer. The encoded protein controls the expression of several genes, including hepatocyte nuclear factor 1 alpha, a transcription factor which regulates the expression of several hepatic genes. This gene may play a role in development of the liver, kidney, and intestines. Mutations in this gene have been associated with monogenic autosomal dominant non-insulin-dependent diabetes mellitus type I. Alternative splicing of this gene results in multiple transcript variants encoding several different isoforms. [provided by RefSeq, Apr

2012]


Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Nuclear Hormone Receptor, Transcription


Factors

Protein Pathways: Maturity onset diabetes of the young



Product images:





Coomassie blue staining of purified HNF4A protein (Cat# [TP316588]). The protein was produced from HEK293T cells transfected with HNF4A cDNA clone (Cat# [RC216588]) using MegaTran 2.0 (Cat# [TT210002]).