

# Product datasheet for TP316785M

## IL10 (NM\_000572) Human Recombinant Protein

### **Product data:**

#### **Product Type: Recombinant Proteins** Purified recombinant protein of Homo sapiens interleukin 10 (IL10), 100 µg **Description:** Species: Human HEK293T **Expression Host:** Expression cDNA Clone >RC216785 representing NM\_000572 or AA Sequence: Red=Cloning site Green=Tags(s) MHSSALLCCLVLLTGVRASPGQGTQSENSCTHFPGNLPNMLRDLRDAFSRVKTFFQMKDQLDNLLLKESL LEDFKGYLGCQALSEMIQFYLEEVMPQAENQDPDIKAHVNSLGENLKTLRLRLRRCHRFLPCENKSKAVE QVKNAFNKLQEKGIYKAMSEFDIFINYIEAYMTMKIRN **TRTRPLEQKLISEEDLAANDILDYKDDDDKV** C-Myc/DDK Tag: Predicted MW: 18.6 kDa **Concentration:** >0.05 µg/µL as determined by microplate BCA method **Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol **Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps. Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process. Storage: Store at -80°C. Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. **RefSeq:** NP 000563 Locus ID: 3586 **UniProt ID:** P22301, Q6FGW4 1629 **RefSeq Size:**




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	IL10 (NM_000572) Human Recombinant Protein – TP316785M
Cytogenetics:	1q32.1
RefSeq ORF:	534
Synonyms:	CSIF; GVHDS; IL-10; IL10A; TGIF
Summary:	The protein encoded by this gene is a cytokine produced primarily by monocytes and to a lesser extent by lymphocytes. This cytokine has pleiotropic effects in immunoregulation and inflammation. It down-regulates the expression of Th1 cytokines, MHC class II Ags, and costimulatory molecules on macrophages. It also enhances B cell survival, proliferation, and antibody production. This cytokine can block NF-kappa B activity, and is involved in the regulation of the JAK-STAT signaling pathway. Knockout studies in mice suggested the function of this cytokine as an essential immunoregulator in the intestinal tract. Mutations in this gene are associated with an increased susceptibility to HIV-1 infection and rheumatoid arthritis. [provided by RefSeq, May 2020]
Protein Families	Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein
Protein Pathway	<b>rs:</b> Allograft rejection, Asthma, Autoimmune thyroid disease, Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway, Systemic lupus erythematosus, T cell receptor signaling pathway

## **Product images:**



Coomassie blue staining of purified IL10 protein (Cat# [TP316785]). The protein was produced from HEK293T cells transfected with IL10 cDNA clone (Cat# [RC216785]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US