

Product datasheet for **TP316954L**

FAM83D (NM_030919) Human Recombinant Protein

Product data:


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human family with sequence similarity 83, member D (FAM83D), 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC216954 representing NM_030919 Red =Cloning site Green =Tags(s)
	<p>MARACLIQRLPIKRDCTPVFVRGLSSPSAAMALLSEGLDEVPAACLSPCGPPNPTELFSESRRRLALEELV AGGPEAFAAFLRRERLARFLNPDEVHAILRAAERPGEEGAAAAAAEDSFGSSHDCSSGTYPFQSDLEP PLLELGWPAFYQGAYRGATRVETHFQPRGAGEGGPYGCKDALRQQLRSAREVIAVMDVFTDIDIFRDLQ EICRKQGVAVYILLDQALLSQFLDMCMDLKVHPEQEKLMTVRTITGNIYYARSGTKIIGKVHEKFTLIDG IRVATGSYSFTWTDGKLNSSNLVILSGQVVEHFDLEFRILYAQSKPISPKLLSHFQSSNKFHDLTNRKPKQ SKELTLGNLLRMRLARLSSTPRKADLDPEMPAEGKAERKPHDCESSTVSEEDYFSSHRDELQSRKAIDAA TQTEPGEEMPGLSVSEVGTQTSITTACAGTQTAVITRIASSQTTIWSRSTTTQTDMDENILFPRGTQSTE GSPVSKMSVSRSSSLKSSSSVSSQGSVASSTGSPASIRTTDFHNP GYPKYLGTPHLELYLSDSLRNLNKE RQFHFAGIRSRLNHMLAMLSRRTLFTENHLGLHSGNFSRVNLLAVRDVALYPSYQ</p> <p>SGPTRTRRLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-Myc/DDK
Predicted MW:	67.5 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_112181</u>
Locus ID:	81610
UniProt ID:	<u>Q9H4H8</u>
RefSeq Size:	2445
Cytogenetics:	20q11.23
RefSeq ORF:	1845
Synonyms:	C20orf129; CHICA; dj616B8.3
Summary:	Probable proto-oncogene that regulates cell proliferation, growth, migration and epithelial to mesenchymal transition. Through the degradation of FBXW7, may act indirectly on the expression and downstream signaling of MTOR, JUN and MYC (PubMed:24344117). May play also a role in cell proliferation through activation of the ERK1/ERK2 signaling cascade (PubMed:25646692). May also be important for proper chromosome congression and alignment during mitosis through its interaction with KIF22.[UniProtKB/Swiss-Prot Function]
Protein Families:	Druggable Genome

Product images:



Coomassie blue staining of purified FAM83D protein (Cat# [TP316954]). The protein was produced from HEK293T cells transfected with FAM83D cDNA clone (Cat# [RC216954]) using MegaTran 2.0 (Cat# [TT210002]).