

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TP317016

### PDE12 (NM\_177966) Human Recombinant Protein

#### **Product data:**

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human phosphodiesterase 12 (PDE12), 20 μg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC217016 representing NM_177966 Red=Cloning site Green=Tags(s)
	MWRLPGARAALRVIRTAVEKLSRAEAGSQTAAGAMERAVVRCVPSEPKLSLSFALADGSHKNMQRDQSE P LGRVLSRIATNALKGHAKAAAAKKSRKSRPNASGGAACSGPGPEPAVFCEPVVKLYYREEAVAEDVLNVD AWQDGAVLQIGDVKYKVERNPPAFTELQLPRYIMAGFPVCPKLSLEFGDPASSLFRWYKEAKPGAAEPEV GVPSSLSPSSPSSSWTETDVEERVYTPSNADIGLRLKLHCTPGDGQRFGHSRELESVCVVEAGPGTCTFD HRHLYTKKVTEDALIRTVSYNILADTYAQTEFSRTVLYPYCAPYALELDYRQNLIQKELTGYNADVICLQ EVDRAVFSDSLVPALEAFGLEGVFRIKQHEGLATFYRKSKFSLLSQHDISFYEALESDPLHKELLEKLVL YPSAQEKVLQRSSVLQVSVLQSTKDSSKRICVANTHLYWHPKGGYIRLIQMAVALAHIRHVSCDLYPGIP VIFCGDFNSTPSTGMYHFVINGSIPEDHEDWASNGEEERCNMSLTHFFKLKSACGEPAYTNYVGGFHGCL DYIFIDLNALEVEQVIPLPSHEEVTTHQALPSVSHPSDHIALVCDLKWK
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Predicted MW:	67.2 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	PDE12 (NM_177966) Human Recombinant Protein – TP317016
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP 808881</u>
Locus ID:	201626
UniProt ID:	<u>Q6L8Q7</u>
RefSeq Size:	3923
Cytogenetics:	3p14.3
RefSeq ORF:	1827
Synonyms:	2'-PDE; 2-PDE
Summary:	Enzyme that cleaves 2',5'-phosphodiester bond linking adenosines of the 5'-triphosphorylated oligoadenylates, triphosphorylated oligoadenylates referred as 2-5A modulates the 2-5A system. Degrades triphosphorylated 2-5A to produce AMP and ATP (PubMed:26055709). Also cleaves 3',5'-phosphodiester bond of oligoadenylates (PubMed:21666256, PubMed:30389976, PubMed:26055709). Plays a role as a negative regulator of the 2-5A system that is one of the major pathways for antiviral and antitumor functions induced by interferons (IFNs). Suppression of this enzyme increases cellular 2-5A levels and decreases viral replication in cultured small-airway epithelial cells and Hela cells (PubMed:26055709).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Coomassie blue staining of purified PDE12 protein (Cat# TP317016). The protein was produced from HEK293T cells transfected with PDE12 cDNA clone (Cat# [RC217016]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US