

Product datasheet for TP317220L

KHSRP (NM_003685) Human Recombinant Protein

Product data:


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human KH-type splicing regulatory protein (KHSRP), 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC217220 representing NM_003685 Red=Cloning site Green=Tags(s)
	MSDYSTGGPPPGPPPPAGGGGGAGGAGGGPPPGPPGAGDRGGGGPGGGGPGGGSAGGPSQPPGGGGPGIR KDAFADAVQRARQIAAKIGGDAATTVNNSTPDFGFGGQKRQLEDGDQPESKKLASQGDSISSQLGPIHPP PRTSMTEEYRVPDGMVGLIIGRGGEQINKIQQDSGCKVQISPDSSGLPERSVSLTGAPESVQKAKMMLDD IVSRGRGGPPGQFHDNANGGQNGTVQEIMIPAGKAGLVIGKGGETIKQLQERAGVKMILIQDGSQNTNVD KPLRIIGDPYKVVQACEMVMDILRERDQGGFGDRNEYGSRIIGGGIDVPVPRHSVGVVIGRSGEMIKKIQN DAGVRIQFKQDDGTGPEKIAHIMGPPDRCEHAARIINDLLQSLRSGPPPGGPGMPPGGRGRGRGQGNW GPPGGEMTFSIPTHKCGLVIGRGGENVKAINQQTGAFVEISRQLPPNGDPNFKLFIIRGSPQQIDHAKQL IEEKIEGPLCPVGPGGGPGPAGPMGPFNPGPFNQPPGAPPHAGGPPPHQYPPQGWGNTYPQWQPPAPH DPSKAAAAAADPNAAWAAYSHYYQPPGPVGPAPAPAAPPAQGEPPQPPPTGQSDYTKAWEEYKKIG QQPQQPGAPPQQDYTKAWEEYKKQAQVATGGGPGAPPQSQPDYSAAWAEYRQAAYYGQTPGPGGPQP PPTQQGQQQAQ
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Predicted MW:	72.9 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_003676
Locus ID:	8570
UniProt ID:	Q92945
RefSeq Size:	3009
Cytogenetics:	19p13.3
RefSeq ORF:	2133
Synonyms:	FBP2; FUBP2; KSRP; p75
Summary:	The KHSRP gene encodes a multifunctional RNA-binding protein implicated in a variety of cellular processes, including transcription, alternative pre-mRNA splicing, and mRNA localization (Min et al., 1997 [PubMed 9136930]; Gherzi et al., 2004 [PubMed 15175153]).[supplied by OMIM, Apr 2010]
Protein Families:	Druggable Genome, Transcription Factors

Product images:



Coomassie blue staining of purified KHSRP protein (Cat# [TP317220]). The protein was produced from HEK293T cells transfected with KHSRP cDNA clone (Cat# [RC217220]) using MegaTran 2.0 (Cat# [TT210002]).