

## **Product datasheet for TP317508**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TAPA1 (CD81) (NM\_004356) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human CD81 molecule (CD81), 20 μg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC217508 representing NM\_004356 **or AA Sequence:** Red=Cloning site Green=Tags(s)

MGVEGCTKCIKYLLFVFNFVFWLAGGVILGVALWLRHDPQTTNLLYLELGDKPAPNTFYVGIYILIAVGA VMMFVGFLGCYGAIQESQCLLGTFFTCLVILFACEVAAGIWGFVNKDQIAKDVKQFYDQALQQAVVDDDA NNAKAVVKTFHETLDCCGSSTLTALTTSVLKNNLCPSGSNIISNLFKEDCHQKIDDLFSGKLYLIGIAAI

VVAVIMIFEMILSMVLCCGIRNSSVY

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK
Predicted MW: 25.6 kDa

Concentration: >0.1 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Bioactivity: ELISA standard (PMID: 27408937)

ELISA standard (PMID: <u>27511944</u>) ELISA standard (PMID: <u>27601437</u>) ELISA standard (PMID: <u>28105773</u>)

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

**Storage:** Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.





**RefSeq:** NP 004347

Locus ID: 975

UniProt ID: P60033

RefSeq Size: 1497

Cytogenetics: 11p15.5

RefSeq ORF: 708

**Synonyms:** CVID6; S5.7; TAPA1; TSPAN28

**Summary:** The protein encoded by this gene is a member of the transmembrane 4 superfamily, also

known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. This encoded protein is a cell surface glycoprotein that is known to complex with integrins. This protein appears to promote muscle cell fusion and support myotube maintenance. Also it may be involved in signal transduction. This gene is localized in the


tumor-suppressor gene region and thus it is a candidate gene for malignancies. Two transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Jul 2014]

Protein Families: Druggable Genome, ES Cell Differentiation/IPS, Transmembrane


**Protein Pathways:** B cell receptor signaling pathway

## **Product images:**



Plasma neuronal-derived exosome levels of CD81, measured by ELISA using recombinant CD81 (OriGene TP317508) as the standard, were not statistically different among cognitively normal controls (CNC), mild cognitive impairment (MCI), MCI converting to AD (ADC), and Alzheimer's disease patients (AD). Figure cited from Alzheimers Dement (Amst), PMID: 27408937





Coomassie blue staining of purified CD81 protein (Cat# TP317508). The protein was produced from HEK293T cells transfected with CD81 cDNA clone (Cat# [RC217508]) using MegaTran 2.0 (Cat# [TT210002]).