

Product datasheet for TP317552M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CYB5R3 (NM_007326) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human cytochrome b5 reductase 3 (CYB5R3), transcript variant 2,

100 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC217552 representing NM_007326

or AA Sequence: Red=Cloning site Green=Tags(s)

MKLFQRSTPAITLESPDIKYPLRLIDREIISHDTRRFRFALPSPQHILGLPVGQHIYLSARIDGNLVVRP YTPISSDDDKGFVDLVIKVYFKDTHPKFPAGGKMSQYLESMQIGDTIEFRGPSGLLVYQGKGKFAIRPDK KSNPIIRTVKSVGMIAGGTGITPMLQVIRAIMKDPDDHTVCHLLFANQTEKDILLRPELEELRNKHSARF KLWYTLDRAPEAWDYGQGFVNEEMIRDHLPPPEEEPLVLMCGPPPMIQYACLPNLDHVGHPTERCFVF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 31.4 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 015565

Locus ID: 1727



CYB5R3 (NM_007326) Human Recombinant Protein - TP317552M

UniProt ID: P00387 2000 RefSeq Size: Cytogenetics: 22q13.2 RefSeq ORF: 834

B5R; DIA1 Synonyms:

Summary: This gene encodes cytochrome b5 reductase, which includes a membrane-bound form in


> somatic cells (anchored in the endoplasmic reticulum, mitochondrial and other membranes) and a soluble form in erythrocytes. The membrane-bound form exists mainly on the cytoplasmic side of the endoplasmic reticulum and functions in desaturation and elongation of fatty acids, in cholesterol biosynthesis, and in drug metabolism. The erythrocyte form is located in a soluble fraction of circulating erythrocytes and is involved in methemoglobin reduction. The membrane-bound form has both membrane-binding and catalytic domains, while the soluble form has only the catalytic domain. Alternate splicing results in multiple transcript variants. Mutations in this gene cause methemoglobinemias. [provided by RefSeq,

Jan 2010]

Protein Families: Druggable Genome

Amino sugar and nucleotide sugar metabolism **Protein Pathways:**

Product images:



Coomassie blue staining of purified CYB5R3 protein (Cat# [TP317552]). The protein was produced from HEK293T cells transfected with CYB5R3 cDNA clone (Cat# [RC217552]) using

MegaTran 2.0 (Cat# [TT210002]).