

Product datasheet for **TP317733M**

AKT2 (NM_001626) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human v-akt murine thymoma viral oncogene homolog 2 (AKT2), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC217733 representing NM_001626 Red =Cloning site Green =Tags(s)

MNEVSVIKEGWLHKRGEYIKTWRPRYFLLKSDGSFIGYKERPEAPDQTLPLNNSVAECQLMKTERPRP
NTFVIRCLQWTTVIERTFHVDSNDEREEWMRAIQMVANSLKQRAPGEDPMDYKCGSPSDSSTTEEMEVAV
SKARAKVTMNDFDYLKLLGKGTFRVILVREKATGRYYAMKILRKEVIAKDEVAHTVTESRVLQNRHP
FLTALKYAFQTHDRLCFVMEYANGGELFFHLSRERVTEERARFYGAEIVSALEYLHSRDVVYRDIKLEN
LMLDKDGHKIDDFGLCKEGISDGATMKTFCGTPEYLAPEVLEDNDYGRAVDWWGLGVVMYEMMCGRLPF
YNQDHERLFELILMEEIRFPRTLSPKAKSLLAGLLKDPKQRLGGGSPDAKEVMEHRFFLSINWQDVVQK
KLLPPFKPQVTSEVDTRYFDDEFTAQSITITPPDRYDSLGLLELDQRTHFPQFSYSASIRE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	55.6 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol





[View online »](#)

Bioactivity:	AKT2 activity verified in a biochemical assay: AKT2 (v-akt murine thymoma viral oncogene homolog 2) (TP317733) activity was measured in a homogeneous time-resolved fluorescent (HTRF®) assay. AKT2 is a serine/threonine kinase that plays a key in regulating cell survival, insulin signaling, angiogenesis and tumor formation. Varying concentrations of AKT2 were added to a reaction mix containing ATP and a biotinylated kinase substrate and the reaction mixture was incubated to allow the protein to phosphorylate the substrate. HTRF detection reagents were then added, and the time-resolved fluorescent signal was measured on a Flexstation 3 microplate reader. The time resolved fluorescent signal is expressed as “delta R” or “ΔR” and is a ratio calculated from the fluorescent emission intensities of the donor and acceptor fluors.
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_001617
Locus ID:	208
UniProt ID:	P31751
RefSeq Size:	1715
Cytogenetics:	19q13.2
RefSeq ORF:	1443
Synonyms:	HIHGHH; PKBB; PKBBETA; PRKBB; RAC-BETA
Summary:	This gene is a putative oncogene encoding a protein belonging to a subfamily of serine/threonine kinases containing SH2-like (Src homology 2-like) domains, which is involved in signaling pathways. The gene serves as an oncogene in the tumorigenesis of cancer cells For example, its overexpression contributes to the malignant phenotype of a subset of human ductal pancreatic cancers. The encoded protein is a general protein kinase capable of phosphorylating several known proteins, and has also been implicated in insulin signaling. [provided by RefSeq, Nov 2019]
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase

Protein Pathways: Acute myeloid leukemia, Adipocytokine signaling pathway, Apoptosis, B cell receptor signaling pathway, Chemokine signaling pathway, Chronic myeloid leukemia, Colorectal cancer, Endometrial cancer, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Focal adhesion, Glioma, Insulin signaling pathway, Jak-STAT signaling pathway, MAPK signaling pathway, Melanoma, mTOR signaling pathway, Neurotrophin signaling pathway, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Progesterone-mediated oocyte maturation, Prostate cancer, Renal cell carcinoma, Small cell lung cancer, T cell receptor signaling pathway, Tight junction, Toll-like receptor signaling pathway, VEGF signaling pathway

Product images:



Coomassie blue staining of purified AKT2 protein (Cat# [TP317733]). The protein was produced from HEK293T cells transfected with AKT2 cDNA clone (Cat# [RC217733]) using MegaTran 2.0 (Cat# [TT210002]).