

Product datasheet for **TP317823L**

Protor 1 (PRR5) (NM_015366) Human Recombinant Protein


Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human proline rich 5 (renal) (PRR5), transcript variant 2, 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC217823 representing NM_015366 Red =Cloning site Green =Tags(s)
	<p>MSSPSLSDLGKREPAAAADERGTQRRACANATWNSIHNGVIAVFQRKGLPDQELFSLNEGVRQLLKTEL GSFFTEYLQNQLLTGKMOVILRDKIRFYEGQKLLDSLAETWDFFSVDLPMLQAIFYPVQGKEPSVRQLAL LHFRNAITLSVKLEDALARAHARVPPAIVQMLLVLQGVHESRGVTEDYLRLETLVQKVSPYLGTGYLHS SEGPFTHSCILEKRLLRRSRSGDVLAKNPVVRSKSYNTPLLNPVQEHEAEGAAAGGTSIRRHVSSEMTSC PEPQGFSDPPGQGPTGTRSSPAPHSGPCPSRLYPTTQPPEQGLDPTRSSLPSSPENLVDQILESVDSD SEGIFIDFGRGRGSGMSDLEGSGGRQSVV</p> <p>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-Myc/DDK
Predicted MW:	41.4 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_056181</u>
Locus ID:	55615


[View online »](#)

UniProt ID:	<u>P85299</u>
RefSeq Size:	1653
Cytogenetics:	22q13.31
RefSeq ORF:	1137
Synonyms:	FLJ20185k; PP610; PROTOR-1; PROTOR1
Summary:	This gene encodes a protein with a proline-rich domain. This gene is located in a region of chromosome 22 reported to contain a tumor suppressor gene that may be involved in breast and colorectal tumorigenesis. The protein is a component of the mammalian target of rapamycin complex 2 (mTORC2), and it regulates platelet-derived growth factor (PDGF) receptor beta expression and PDGF signaling to Akt and S6K1. Alternative splicing and the use of alternative promoters results in transcripts encoding different isoforms. Read-through transcripts from this gene into the downstream Rho GTPase activating protein 8 (ARHGAP8) gene also exist, which led to the original description of PRR5 and ARHGAP8 being a single gene. [provided by RefSeq, Nov 2010]

Product images:



Coomassie blue staining of purified PRR5 protein (Cat# [TP317823]). The protein was produced from HEK293T cells transfected with PRR5 cDNA clone (Cat# [RC217823]) using MegaTran 2.0 (Cat# [TT210002]).