

Product datasheet for TP318153

RAB3IP (NM_022456) Human Recombinant Protein

Product data:

| | |
|---------------------------------------|---|
| Product Type: | Recombinant Proteins |
| Description: | Recombinant protein of human RAB3A interacting protein (rabin3) (RAB3IP), transcript variant alpha 1, 20 µg |
| Species: | Human |
| Expression Host: | HEK293T |
| Expression cDNA Clone or AA Sequence: | >RC218153 representing NM_022456 Red =Cloning site Green =Tags(s) |

MANDPLEGFHEVNLASPTSPDLLGVYESGTQEQTTSVSVIYRPHPSALSSVPIQANALDVSELPTQPVYS
SPRRLNCAEISSISFHVTDPA PCSTSGVTAGLTKL TTRKDN YNAEREF LQGATITEACDGSDDIFGLSTD
SLSRLRSPSVLEVREKGYERLKEELAKAQRELKLD EECERLSKVRDQLGQELEELTASLFEEAHKMVRE
ANIKQATAEKQLKEAQGKIDVLQAEVAALKTLV LSSSPTSPTQEPLPGGKTPFKKGHTRNKSTSSAMSGS
HQDLSVIQPIVKDCKEADLSLYNEFRLWKDEPTMDRTCPFLDKIYQEDIFPCLTFSKSELASAVLEAVEN
NTLSIEPVGLQPIRFVKASAVECGGPKKCAL TGQSKSCKHRIKLG DSSNYYYISPFCRYRITSVCNFFTY
IRYIQQGLVKQQDQDQMFWEVMQLRKEMSLAKLGYFKEEL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

| | |
|----------------|--|
| Tag: | C-Myc/DDK |
| Predicted MW: | 51.1 kDa |
| Concentration: | >0.05 µg/µL as determined by microplate BCA method |
| Purity: | > 80% as determined by SDS-PAGE and Coomassie blue staining |
| Buffer: | 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol |
| Preparation: | Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps. |
| Note: | For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process. |
| Storage: | Store at -80°C. |
| Stability: | Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. |



[View online »](#)

RefSeq: [NP_071901](#)

Locus ID: 117177

UniProt ID: [Q96QF0](#)

RefSeq Size: 1855


Cytogenetics: 12q15

RefSeq ORF: 1380

Synonyms: RABIN3; RABIN8

Summary: Guanine nucleotide exchange factor (GEF) which may activate RAB8A and RAB8B. Promotes the exchange of GDP to GTP, converting inactive GDP-bound Rab proteins into their active GTP-bound form. Mediates the release of GDP from RAB8A and RAB8B but not from RAB3A or RAB5. Modulates actin organization and promotes polarized transport of RAB8A-specific vesicles to the cell surface. Together with RAB11A, RAB8A, the exocyst complex, PARD3, PRKCI, ANXA2, CDC42 and DNMBP promotes transcytosis of PODXL to the apical membrane initiation sites (AMIS), apical surface formation and lumenogenesis.[UniProtKB/Swiss-Prot Function]

Product images:



Coomassie blue staining of purified RAB3IP protein (Cat# TP318153). The protein was produced from HEK293T cells transfected with RAB3IP cDNA clone (Cat# [RC218153]) using MegaTran 2.0 (Cat# [TT210002]).