

## Product datasheet for TP318427L

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Decorin (DCN) (NM 133506) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human decorin (DCN), transcript variant D, 1 mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** 

or AA Sequence:

Recombinant protein was produced with TrueORF clone, RC218427.

Tag: C-Myc/DDK

**Predicted MW:** 17.4 kDa

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 598013

**Locus ID:** 1634

**UniProt ID:** <u>P07585</u>, <u>Q6FH10</u>

RefSeq Size: 1336

Cytogenetics: 12q21.33

RefSeq ORF: 516

Synonyms: CSCD; DSPG2; PG40; PGII; PGS2; SLRR1B






Summary:

This gene encodes a member of the small leucine-rich proteoglycan family of proteins. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed to generate the mature protein. This protein plays a role in collagen fibril assembly. Binding of this protein to multiple cell surface receptors mediates its role in tumor suppression, including a stimulatory effect on autophagy and inflammation and an inhibitory effect on angiogenesis and tumorigenesis. This gene and the related gene biglycan are thought to be the result of a gene duplication. Mutations in this gene are associated with congenital stromal corneal dystrophy in human patients. [provided by RefSeq, Nov 2015]

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** TGF-beta signaling pathway

## **Product images:**



Coomassie blue staining of purified DCN protein (Cat# [TP318427]). The protein was produced from HEK293T cells transfected with DCN cDNA clone (Cat# [RC218427]) using MegaTran 2.0 (Cat# [TT210002]).