

## **Product datasheet for TP318949**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## DOC2B (NM\_003585) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human double C2-like domains, beta (DOC2B), 20 μg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC218949 representing NM\_003585 **or AA Sequence:** Red=Cloning site Green=Tags(s)

MTLRRRGEKATISIQEHMAIDVCPGPIRPIKQISDYFPRFPRGLPPDAGPRAAAPPDAPARPAVAGAGRR SPSDGAREDDEDVDQLFGAYGSSPGPSPGPSPARPPAKPPEDEPDADGYESDDCTALGTLDFSLLYDQEN NALHCTITKAKGLKPMDHNGLADPYVKLHLLPGASKANKLRTKTLRNTLNPTWNETLTYYGITDEDMIRK TLRISVCDEDKFRHNEFIGETRVPLKKLKPNHTKTFSICLEKQLPVDKTEDKSLEERGRILISLKYSSQK QGLLVGIVRCAHLAAMDANGYSDPYVKTYLRPDVDKKSKHKTAVKKKTLNPEFNEEFCYEIKHGDLAKKS LEVTVWDYDIGKSNDFIGGVVLGIHAKGERLKHWFDCLKNKDKRIERWHTLTSELPGAVLSD

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

Tag: C-Myc/DDK

Predicted MW: 45.8 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

**Storage:** Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 003576

Locus ID: 8447





RefSeq ORF:

UniProt ID: Q14184

RefSeq Size: 2030

17p13.3 Cytogenetics: 1236


Synonyms: DOC2BL

**Summary:** There are at least two protein isoforms of the Double C2 protein, namely alpha (DOC2A) and

> beta (DOC2B), which contain two C2-like domains. DOC2A and DOC2B are encoded by different genes; these genes are at times confused with the unrelated DAB2 gene which was initially named DOC-2. DOC2B is expressed ubiquitously and is suggested to be involved in Ca(2+)-dependent intracellular vesicle trafficking in various types of cells. [provided by RefSeq,

Jul 2008]

## **Product images:**



Coomassie blue staining of purified DOC2B protein (Cat# TP318949). The protein was produced from HEK293T cells transfected with DOC2B cDNA clone (Cat# [RC218949]) using MegaTran 2.0 (Cat# [TT210002]).