

## Product datasheet for TP319037L

### DOPA Decarboxylase (DDC) (NM\_001082971) Human Recombinant Protein

#### Product data:

**Product Type:** Recombinant Proteins  
**Description:** Recombinant protein of human dopa decarboxylase (aromatic L-amino acid decarboxylase) (DDC), transcript variant 1, 1 mg

**Species:** Human

**Expression Host:** HEK293T

**Expression cDNA Clone or AA Sequence:** >RC219037 protein sequence  
Red=Cloning site Green=Tags(s)

MNASEFRRRGKEMVDYVANYMEGIEGRQVYPDVEPGYLRPLIPAAAPQEPDTFEDIINDVEKIIMPGVTH  
WHSPYFFAYFPTASSYPAMLADMLCGAIGCIGFSWAASPACTELETVMMDWLKGMLLPAFLNEKAGEG  
GGVIQGSASEATLVALLAARTKVIHRLQAASPELTQAAIMEKLVAYSSDQAHSSVERAGLIGGVKLAIP  
SDGNFAMRASALQEALERDKAAGLIPFFMVATLGTTCSSFNDLLEVGPICNKEDIWLHVDAAYAGSAFI  
CPEFRHLLNGVEFADSFNPNPKWLLVNFDCSAMWVKKRTDLTGAFRLDPTYLKHSHQDSGLITDYRHWQ  
IPLGRRFRSLKMWFVFRMYGVKGLQAYIRKHVQLSHEFESLVRQDPRFEICVEVILGLVCFRLKGSNKVN  
EALLQRINSAKKIHLVPCHLRDKFVLRFAICSRVESAHVQRAWEHKELAADVLAERE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Tag:** C-Myc/DDK

**Predicted MW:** 53.7 kDa

**Concentration:** >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.

**Storage:** Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.



[View online >](#)

RefSeq: [NP\\_001076440](#)

Locus ID: 1644

UniProt ID: [P20711](#), [Q53Y41](#), [A0A0S2Z3N4](#)

RefSeq Size: 2090

Cytogenetics: 7p12.2-p12.1

RefSeq ORF: 1440


Synonyms: AADC

**Summary:** The encoded protein catalyzes the decarboxylation of L-3,4-dihydroxyphenylalanine (DOPA) to dopamine, L-5-hydroxytryptophan to serotonin and L-tryptophan to tryptamine. Defects in this gene are the cause of aromatic L-amino-acid decarboxylase deficiency (AADCD). AADCD deficiency is an inborn error in neurotransmitter metabolism that leads to combined serotonin and catecholamine deficiency. Multiple alternatively spliced transcript variants encoding different isoforms have been identified for this gene. [provided by RefSeq, Jun 2011]

**Protein Families:** Druggable Genome

**Protein Pathways:** Histidine metabolism, Metabolic pathways, Phenylalanine metabolism, Tryptophan metabolism, Tyrosine metabolism

### Product images:



Coomassie blue staining of purified DDC protein (Cat# [TP319037]). The protein was produced from HEK293T cells transfected with DDC cDNA clone (Cat# [RC219037]) using MegaTran 2.0 (Cat# [TT210002]).