

Product datasheet for **TP319214**

Dicer (DICER1) (NM_177438) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human dicer 1, ribonuclease type III (DICER1), transcript variant 1, 20 μ g

Species: Human

Expression Host: HEK293T



[View online »](#)

Expression cDNA Clone or AA Sequence: >RC219214 representing NM_177438
Red=Cloning site Green=Tags(s)


MKSPALQPLSMAGLQLMTPASSPMGPFGLPWQQEAIHDNIYTPRKYQVELLEAALDHNTIVCLNTGSG
 K
 TFIAVLLTKELSYQIRGDFSRNGKRTVFLVNSANQVAQQVSAVRTHSDLKVGGEYSNLEVNASWTKERWNO
 EFTKHQVLIMTCYVALNVLKNGYLSLSDINLLVFDECHLAILDHPYREIMKLCENCPCSPRILGLTASIL
 NGKCDPEELEEKIQKLEKILKSNAETATDLVLDRYTSQPCEIVVDCGPFTDRSGLYERLLMELEALNF
 INDCNISVHSKERDSTLISKQILSDCRAVLVVLGPWCADKVAGMMVRELQYKIKHEQEELHRKFLFTDT
 FLRKIHALCEEHFSPASLDLKFVTPKVIKLEILRKYKPYERQQFESVEWYNNRNQDNVYVSWSDSEDDDE
 DEEIEEKEKPETNFSPFTNILCGIIFVERRYTAVLNRLIKEAGKQDPELAYISSNFITGHGIGKNQPR
 NKQMEAEFRKQEEVLRKFRAHETNLLIATSIVEEGVDIPKCNLVVRFDLPTHEYRSYVQSKGRARAPISNY
 IMLADTDKIKSFEEDLKTYKAIEKILRNKCSKSVDTGETDIDPVMDDDDVFPYVLRPDDGGPRVTINTA
 IGHINRYCARLPSPDFTHLAPKCRTRRELDPGTFYSTLYLPINSPLRASIVGPPMSCVRLAERVVALLICCE
 KLHKIGELDDHLMVPGKETVKYEEELDLHDEEETSVPGRPGSTKRRQCYPKAIPCELRDSYPRPDQPCYL
 YVIGMVLTTPLPDELNFRRRKLYPPEDTTRCFGILTAKPIQIPHFPVYTRSGEVTISIELKKSGFMLSL
 QMLELITRLHQYIFSHILRLEKPALEFKPTDADSAYCVLPLNVVNDSSSTLDIDFKFMEDIEKSEARIGIP
 STKYTKETPFVFKLEDYQDAVIIPRYRNFQPHRFYVADVTDLTPLSKFPSPYEYTFEAYYKTKYNLNDL
 TNLNQPLLDVDHTSSRLNLLTPRHLNQGKALPLSSAEKRKAKWESLQNKQILVPELCAIHPIASLWRK
 AVCLPSILYRLHCLLTAELRAQTASDAGVGRSLPADFRYPNLDGFWKKSIDSKSFISISNSSSAENDN
 YCKHSTIVPENAAHQGANRTSSLENHDQMSVNCRTLLSESPGKLHVEVSADLTAINGLSYNQNLANGSYD
 LANRDFCQGNQLNYYKQEI PVQPTTSYSIQNLYSYENQPQPSDECTLLSNKYLDGNANKSTSDGSPVMAV
 MPGTTDTIQVLKGRMDSEQSPSIGYSSRTLGPNGLILQALTLNASDGFNLERLEMLGDSFLKHAITY
 LFCTYDAHEGRLSYMRSKKVSNCNLYRLGKKKGLPSRMVVSIFDPPVNWLPVGYVNWQDKSNTDKWEK
 D
 EMTKDCMLANGKLEDEYEEDEEEESLMWRAPKEEADYEDDFLEFDQEHIRFIDNMLMGSGAFVKKISLS
 PFSTTDSAYEWKMPKSSSLGSMFSSDFEDFDYSSWDAMCYLDPSKAVEEDDFVVGFWNPSEENCVDT
 G
 KQSISYDLHTEQCIADKSIADCVEALLGCYLTS CGERAAQLFLCSLGLKVLPIKRTDREKALCPTRENF
 NSQQKNLSVSCAAASVASSRSSLKDSYEGCLKIPPRCMFDHPDADKTLNHLISGFENFEKKINYRFKKNK
 AYLLQAFTHASYHYNTITDCYQRLEFLGDAILYLITKHLIEDPRQHSPGVLTDLRSALVNNNTIFASLAV
 KYDYHKYFKAVSPELFHVIDDFVQFQLEKNEMQGMDELRRSEDEEKEEDIEVPKAMGDIFESLAGAIY
 MDSGMSLETVWQVYYPMMRPLIEKFSANVPRSPVRELLEMPEPETAKFSPAERTYDGKVRVTVEVWGKGF
 KGVGRSYRIAKSAAARRALRSLKANQPQVPNS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag: C-Myc/DDK
Predicted MW: 218.5 kDa
Concentration: >0.1 µg/µL as determined by microplate BCA method
Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Bioactivity:	Co-immunoprecipitation (PMID: 26704979) In vitro binding assay (PMID: 26704979) Enzyme activity (PMID: 29449323)
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_803187
Locus ID:	23405
UniProt ID:	Q9UPY3
RefSeq Size:	10276
Cytogenetics:	14q32.13
RefSeq ORF:	5766
Synonyms:	DCR1; Dicer; Dicer1e; GLOW; HERNA; K12H4.8-LIKE; MNG1; RMSE2
Summary:	This gene encodes a protein possessing an RNA helicase motif containing a DEXH box in its amino terminus and an RNA motif in the carboxy terminus. The encoded protein functions as a ribonuclease and is required by the RNA interference and small temporal RNA (stRNA) pathways to produce the active small RNA component that represses gene expression. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2010]
Protein Families:	Druggable Genome


Product images:



Direct interaction of Dicer and SIRT7 revealed by co-IP using purified recombinant Dicer (OriGene TP319214) and SIRT7 proteins. The recombinant proteins and IP antibodies added in each reaction are indicated on the top. BSA was used to compensate for the missing protein when only one protein (Dicer or SIRT7) was in the assay. Figure cited from *Nucleic Acids Res*, PMID: 26704979



Interaction between recombinant human Dicer protein (OriGene TP319214) and purified His-tagged SIRT7 protein is revealed by an in vitro binding assay. The proteins loaded to the His-tag purification column are indicated on the top. B, bound fraction; UB, unbound fraction. Figure cited from Nucleic Acids Res, PMID: 26704979



Coomassie blue staining of purified DICER1 protein (Cat# TP319214). The protein was produced from HEK293T cells transfected with DICER1 cDNA clone (Cat# [RC219214]) using MegaTran 2.0 (Cat# [TT210002]).