

Product datasheet for TP319758M

Acid sphingomyelinase (SMPD1) (NM_000543) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Homo sapiens sphingomyelin phosphodiesterase 1, acid lysosomal (SMPD1), transcript variant 1, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC219758 representing NM_000543 Red=Cloning site Green=Tags(s)

MPRYGASLRQSCPRSGREQGDGTAGAPLLWMGLVLALALALALALALSDSRVLWAPAEAHPLSPQGHP
ARLHRIVPRLRDVFGWGNLTCPICKGLFTAINLGLKKEPNVARVGSVAIKLCNLLKIAPPAVCQSIVHLF
EDDMVEVWRRSVLSPSEACGLLLGSTCGHWDIFSSWNISLPTVPKPPKPPSPPAPGAPVSRILFLDLH
WDHDYLEGTDPCADPLCCRRGSLPPASRPGAGYWGEYSKCDLPLRTLLESLLSGLGPAGPFDMVYWTGD
IPAHDVWHQTRQDQLRALTTVTALVRKFLGPVPVYPAVGNHSTPVNSFPPPIEGNHSSRWLYEAMAKA
WEPWLPAAELRTLRIIGGFYALSPYPGLRLISLNMNFCARENFWLLINSTDPAGQLQWLVGELQAAEDRGD
KVHIIGHIPPGHCLKSWSWNYRIVARYENTLAAQFFGHTHVDFEFVYDEETLSRPLAVAFAPSATTY
IGLNPGYRVYQIDGNYSGSSHWLDHETYILNLTQANIPGAIPHWQLLYRARETYGLPNTLPTAWHNLVY
RMRGDMQLFQTFWFLYHKGHPPEPCGTPCRLATLCAQLSARADSPALCRHLMPLDGSLEAQSLWPRPLF
C

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	65 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_000534
Locus ID:	6609
UniProt ID:	P17405 , Q59EN6
RefSeq Size:	2473
Cytogenetics:	11p15.4
RefSeq ORF:	1893
Synonyms:	ASM; ASMASE; NPD
Summary:	The protein encoded by this gene is a lysosomal acid sphingomyelinase that converts sphingomyelin to ceramide. The encoded protein also has phospholipase C activity. Defects in this gene are a cause of Niemann-Pick disease type A (NPA) and Niemann-Pick disease type B (NPB). Multiple transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2010]
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Lysosome, Metabolic pathways, Sphingolipid metabolism

Product images:



Coomassie blue staining of purified SMPD1 protein (Cat# [TP319758]). The protein was produced from HEK293T cells transfected with SMPD1 cDNA clone (Cat# [RC219758]) using MegaTran 2.0 (Cat# [TT210002]).