

Product datasheet for **TP319808**

DR5 (TNFRSF10B) (NM_147187) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human tumor necrosis factor receptor superfamily, member 10b (TNFRSF10B), transcript variant 2, 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC219808 representing NM_147187 Red =Cloning site Green =Tags(s)

MEQRGQNAPAASGARKRHGPGPREARGARPGLRVPKTLVLVAAVLLLVSALITQQDLAPQQRAP
Q
QKRSSPSEGLCPPGHHISEDGRDCISCKYGQDYSTHWNDLLFCLRCTRCDSGEVELSPCTTTRNTVCQCE
EGTFREEDSPEMCRKCRTGCPGRGMVKVGDCTPWSIDIECVHKESGIIIGVTVAAVLVAVFVCKSLLWKK
VLPYLKGCISGGGDPERVDRSSQRPGAEDNVLNEIVSILQPTQVPEQEMEVEPAEPTGVNMLSPGESE
HLLPEAEAERSQRRLLVPANEGDPTETLRQCFDDFADLVPFDSWEPLMRKLGMLMDNEIKVAKAEAAGHR
DTLYTMLIKWVNKTGRDASVHTLLDALETGERLAKQKIEDHLLSSGKFMYLEGNADSAMS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	39.4 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Bioactivity:	Pull-down assay (PMID: 27740879)
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: [NP_671716](#)

Locus ID: 8795

UniProt ID: [O14763](#)

RefSeq Size: 4073

Cytogenetics: 8p21.3

RefSeq ORF: 1233


Synonyms: CD262; DR5; KILLER; KILLER/DR5; TRAIL-R2; TRAILR2; TRICK2; TRICK2A; TRICK2B; TRICKB; ZTNFR9

Summary: The protein encoded by this gene is a member of the TNF-receptor superfamily, and contains an intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces an apoptosis signal. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. Two transcript variants encoding different isoforms and one non-coding transcript have been found for this gene. [provided by RefSeq, Mar 2009]

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Apoptosis, Cytokine-cytokine receptor interaction, Natural killer cell mediated cytotoxicity, p53 signaling pathway

Product images:



Coomassie blue staining of purified TNFRSF10B protein (Cat# TP319808). The protein was produced from HEK293T cells transfected with TNFRSF10B cDNA clone (Cat# [RC219808]) using MegaTran 2.0 (Cat# [TT210002]).