

## Product datasheet for TP319819

### CD30 (TNFRSF8) (NM\_001243) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human tumor necrosis factor receptor superfamily, member 8 (TNFRSF8), transcript variant 1, 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC219819 representing NM_001243 <b>Red</b> =Cloning site <b>Green</b> =Tags(s)

MRVLLAALGLLFLGALRAFPQDRPFEDTCHGNPSHYDCAVRRCCYRCPMGLFPTQQCPQRPTDCRKQCE  
PDYYLDEADRCTACVTCRDDLVEKTPCAWNSSRVCECRPGMFCSTSAVNSCARCFHVSVCAPAGMIVKFP  
GTAQKNTVCEPASPGVSPACASPENCKEPSSGTIPQAKPTVPSPATSSASTMPVRGGTRLAQEASKLTR  
APDSPSSVGRPSSDPGLSPTQPCPEGSGDCRKQCEPDYYLDEAGRCTACVSCSRDDLVEKTPCAWNSSRT  
CECRPGMICATSATNSCARCVYPICAAETVTKPQDMAEKDTTFEAPPLGTQPCNPTPENGEAPASTSP  
TQSLLDVDSQASKTLPIPTSAPVALSSTGKPVLDAGPVLFWVILVWVVGSSAFLCHRRACRKRIRQKL  
HLCYPVQTSQPKLELVDSRPRSSTQLRSGASVTEPVAEERGLMSQPLMETCHSVGAAYLESPLQDASP  
AGGPSSPRDLPEPRVSTEHTNKKIEKIYIMKADTVIVGTVKAELPEGRGLAGPAEPELEEELEADHTPHY  
PEQETEPPLGSCSDVMLSVEEEGKEDPLPTAASGK

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

Tag:	C-Myc/DDK
Predicted MW:	61.9 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** [NP\\_001234](#)

**Locus ID:** 943

**UniProt ID:** [P28908](#), [A5D8T4](#)

**RefSeq Size:** 3686

**Cytogenetics:** 1p36.22

**RefSeq ORF:** 1785


**Synonyms:** CD30; D1S166E; Ki-1

**Summary:** The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is expressed by activated, but not by resting, T and B cells. TRAF2 and TRAF5 can interact with this receptor, and mediate the signal transduction that leads to the activation of NF-kappaB. This receptor is a positive regulator of apoptosis, and also has been shown to limit the proliferative potential of autoreactive CD8 effector T cells and protect the body against autoimmunity. Two alternatively spliced transcript variants of this gene encoding distinct isoforms have been reported. [provided by RefSeq, Jul 2008]

**Protein Families:** Druggable Genome, ES Cell Differentiation/IPS, Stem cell - Pluripotency, Transmembrane

**Protein Pathways:** Cytokine-cytokine receptor interaction

### Product images:



Coomassie blue staining of purified TNFRSF8 protein (Cat# TP319819). The protein was produced from HEK293T cells transfected with TNFRSF8 cDNA clone (Cat# [RC219819]) using MegaTran 2.0 (Cat# [TT210002]).