

Product datasheet for TP319858L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NEU2 (NM_005383) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human sialidase 2 (cytosolic sialidase) (NEU2), 1 mg

Species: Human Expression Host: HEK293T

Expression cDNA Clone >RC219858 representing NM_005383 **or AA Sequence:** Red=Cloning site Green=Tags(s)

MASLPVLQKESVFQSGAHAYRIPALLYLPGQQSLLAFAEQRASKKDEHAELIVLRRGDYDAPTHQVQWQA QEVVAQARLDGHRSMNPCPLYDAQTGTLFLFFIAIPGQVTEQQQLQTRANVTRLCQVTSTDHGRTWSSPR DLTDAAIGPAYREWSTFAVGPGHCLQLNDRARSLVVPAYAYRKLHPIQRPIPSAFCFLSHDHGRTWARGH FVAQDTLECQVAEVETGEQRVVTLNARSHLRARVQAQSTNDGLDFQESQLVKKLVEPPPQGCQGSVISFP SPRSGPGSPAQWLLYTHPTHSWQRADLGAYLNPRPPAPEAWSEPVLLAKGSCAYSDLQSMGTGPDGSPLF

GCLYEANDYEEIVFLMFTLKQAFPAEYLPQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 42.1 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Bioactivity: Cell treatment (PMID: <u>29118338</u>)

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 005374





Synonyms:

Locus ID: 4759

UniProt ID: Q9Y3R4 RefSeg Size: 1143 Cytogenetics: 2q37.1 RefSeq ORF: 1140 SIAL2


Summary: This gene belongs to a family of glycohydrolytic enzymes which remove sialic acid residues

> from glycoproteins and glycolipids. Expression studies in COS7 cells confirmed that this gene encodes a functional sialidase. Its cytosolic localization was demonstrated by cell fractionation


experiments. [provided by RefSeq, Jul 2008]

Other glycan degradation, Sphingolipid metabolism **Protein Pathways:**

Product images:



NEU2 and NEU3 upregulate TGF-beta1 by PBMC. Human PBMC were incubated with or without recombinant human sialidases, NEU1 (OriGene [TP300386]), NEU2 (OriGene [TP319858]), NEU3 (OriGene [TP316537]), NEU4 (OriGene [TP303948]) for five days, then air-dried and stained for TGF-beta1. Positive staining appears pink, and counterstaining is blue. Bar is 0.1 mm. Figure cited from Sci Rep, PMID: 29118338



Coomassie blue staining of purified NEU2 protein (Cat# [TP319858]). The protein was produced from HEK293T cells transfected with NEU2 cDNA clone (Cat# [RC219858]) using MegaTran 2.0 (Cat# [TT210002]).