

Product datasheet for TP319873M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TCEAL1 (NM_004780) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human transcription elongation factor A (SII)-like 1 (TCEAL1),

transcript variant 1, 100 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC219873 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MDKPRKENEEEPQSAPKTDEERPPVEHSPEKQSPEEQSSEEQSSEEEFFPEELLPELLPEMLLSEERPPQ EGLSRKDLFEGRPPMEQPPCGVGKHKLEEGSFKERLARSRPQFRGDIHGRNLSNEEMIQAADELEEMKRV

RNKLMIMHWKAKRSRPYPI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 18.5 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 004771

Locus ID: 9338

UniProt ID: Q15170



RefSeq Size: 1220

Cytogenetics: Xq22.2 RefSeq ORF: 477

Synonyms: p21; pp21; SIIR; WEX9

Summary: This gene encodes a member of the transcription elongation factor A (SII)-like (TCEAL) gene

family. Members of this family may function as nuclear phosphoproteins that modulate transcription in a promoter context-dependent manner. The encoded protein is similar to transcription elongation factor A/transcription factor SII and contains a zinc finger-like motif as well as a sequence related to the transcription factor SII Pol II-binding region. It may exert its effects via protein-protein interactions with other transcriptional regulators rather than via


direct binding of DNA. Multiple family members are located on the X chromosome.

Alternative splicing results in multiple transcript variants encoding a single isoform. [provided

by RefSeq, Jul 2008]

Protein Families: Transcription Factors

Product images:



Coomassie blue staining of purified TCEAL1 protein (Cat# [TP319873]). The protein was produced from HEK293T cells transfected with TCEAL1 cDNA clone (Cat# [RC219873]) using MegaTran 2.0 (Cat# [TT210002]).