

## Product datasheet for **TP320500**

### **ErbB 4 (ERBB4) (NM\_001042599) Human Recombinant Protein**

#### **Product data:**

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human v-erb-a erythroblastic leukemia viral oncogene homolog 4 (avian) (ERBB4), transcript variant JM-a/CVT-2, 20 µg
Species:	Human
Expression Host:	HEK293T



[View online »](#)

**Expression cDNA Clone or AA Sequence:** >RC220500 representing NM\_001042599  
**Red**=Cloning site **Green**=Tags(s)



MKPATGLWVWVSLVAAGTVQPSDSQSV CAGTENKLSLSDLEQQYRALRKYYENCEVVMGNLEITSIEH  
 NRDL SFLRSVREVTGYVLVALNQFRYLPLENLRIIRGTKLYEDRYALAIFLNYRKDGNFGLQELGLKNLT  
 EILNGGVYVDQNKFLCYADTIHWQDIVRNPWPSNLT LVSTNGSSGCGRCHKSGTGRCWGPTENHCQTLT  
 R  
 TVCAEQCDGR CYGPYVSDCCHRECAGGCSGPKD TDCFACMNFND SGACVTQCPQTFVYNPTTFQLEHNF  
 N  
 AKYTYGAF CVKKCPHNFVVDSSSCVRAC PSSKMEVEENG IKMCKPCTDICPKACDGIGTGSLSAQTVDS  
 SNIDKF INCTKINGNLIFLVTGIHGDPYNAIEAIDPEKLN VERTVREITGFLNIQSWPPNM TDFS VFSNL  
 VTIGGRVLYSGLSLLILKQQGITS LQFQSLKEISAGNIYITDNSNL CYHTINWTTLFSTINQRIVRDN  
 RKAENCTAEGMVCNHLCS SDGCWGP GPDQCLSCRRFSRGRICIESCNLYDGEFREFENG SICVECDPQCE  
 KMEDGLLTCHGPGPDNCTKCSHF KDGPNCEKCPDGLQGANSFIFKYADPDRECHPCHPNCTQGCNGP  
 TS  
 HDCIYYPWTGHSTLPQHARTPLIAAGVIGGLFILVIVGLTFAVYVRRKSIKKKRALRRFLET ELVEPLTP  
 SGTAPNQ AQLRILKETELKRVKVLGSGAFGT VYKGIWVPEGETVKIPVAIKILNETTGPKANVEFMDEAL  
 IMASMDH PHLVRLLGVCLSP TIQLVTQLMPHGCLLEYVHEHKDNIGS QLLLNWCVQIAKGMMYLEERRL  
 V  
 HRDLAARNVLVKSPNHVKITDFGLARLLEGDEKEYNADGGKMPIKWMAL ECIHYRKFTHQSDVWSYGVTI  
 WELMTFGGKPYDGIPTREIPDLLEKGERLPQPPICTIDVYMMVKCWMIDADSRPKFKELAAEF SRMARD  
 PQRYLVIQGD DRMKLPSPNDSKFFQNL LDEEDLEDMMDAEEYLVPQAFNIPPIYTSRARIDSNRNQFVY  
 RDGGFAAEQGVSPYRAP TSTIPEAPVAQGATAE IFDDSCCNGTLRKPVAPHVQEDSSTQRY SADPTVFA  
 PERSPRGELDEEGYMT PMRDKPKQEYLN PVEENPFVSRRKNGDLQALDNPEYHNASNGPPKAEDEYVNE  
 P  
 LYLNTFANTLGKAEYLKNNILSMPEKAKKAFDNP DYWNHSLPPRSTLQHPDYLQEYSTKYFYKQNGRIRP  
 IVAENPEYLSEFSLKPGTVLPPPPYRHRNTVV

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

**Tag:** C-Myc/DDK  
**Predicted MW:** 142.6 kDa  
**Concentration:** >0.05 µg/µL as determined by microplate BCA method  
**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining  
**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

<b>Bioactivity:</b>	ErbB4 activity verified in a biochemical assay : <b>ErbB4 (v-erb-a erythroblastic leukemia viral oncogene homolog 4)</b> (TP320500) activity was measured in a homogeneous time-resolved fluorescent (HTRF®) assay. ErbB4 is a tyrosine protein kinase and a member of the epidermal growth factor receptor subfamily. Varying concentrations of ErbB4 were added to a reaction mix containing ATP and a biotinylated kinase substrate and the reaction mixture was incubated to allow the protein to phosphorylate the tyrosine residue in the substrate. HTRF detection reagents were then added, and the time-resolved fluorescent signal was measured on a Flexstation 3 microplate reader. The time resolved fluorescent signal is expressed as “delta R” or “ΔR” and is a ratio calculated from the fluorescent emission intensities of the donor and acceptor fluors.
<b>Preparation:</b>	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
<b>Note:</b>	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
<b>Storage:</b>	Store at -80°C.
<b>Stability:</b>	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
<b>RefSeq:</b>	<a href="#">NP_001036064</a>
<b>Locus ID:</b>	2066
<b>UniProt ID:</b>	<a href="#">Q15303</a>
<b>RefSeq Size:</b>	11893
<b>Cytogenetics:</b>	2q34
<b>RefSeq ORF:</b>	3876
<b>Synonyms:</b>	ALS19; HER4; p180erbB4
<b>Summary:</b>	This gene is a member of the Tyr protein kinase family and the epidermal growth factor receptor subfamily. It encodes a single-pass type I membrane protein with multiple cysteine rich domains, a transmembrane domain, a tyrosine kinase domain, a phosphatidylinositol-3 kinase binding site and a PDZ domain binding motif. The protein binds to and is activated by neuregulins and other factors and induces a variety of cellular responses including mitogenesis and differentiation. Multiple proteolytic events allow for the release of a cytoplasmic fragment and an extracellular fragment. Mutations in this gene have been associated with cancer. Alternatively spliced variants which encode different protein isoforms have been described; however, not all variants have been fully characterized. [provided by RefSeq, Jul 2008]
<b>Protein Families:</b>	Druggable Genome, Protein Kinase, Transmembrane
<b>Protein Pathways:</b>	Calcium signaling pathway, Endocytosis, ErbB signaling pathway

## Product images:



Coomassie blue staining of purified ERBB4 protein (Cat# TP320500). The protein was produced from HEK293T cells transfected with ERBB4 cDNA clone (Cat# [RC220500]) using MegaTran 2.0 (Cat# [TT210002]).