

Product datasheet for TP320685L

H2AC21 (NM_175065) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins Recombinant protein of human histone cluster 2, H2ab (HIST2H2AB), 1 mg **Description:** Species: Human HEK293T **Expression Host:** Expression cDNA Clone >RC220685 representing NM_175065 or AA Sequence: Red=Cloning site Green=Tags(s) MSGRGKQGGKARAKAKSRSSRAGLQFPVGRVHRLLRKGNYAERVGAGAPVYLAAVLEYLTAEILELAGNA ARDNKKTRIIPRHLQLAVRNDEELNKLLGGVTIAQGGVLPNIQAVLLPKKTESHKPGKNK **TRTRPLEQKLISEEDLAANDILDYKDDDDKV** Tag: C-Myc/DDK Predicted MW: 13.8 kDa **Concentration:** >0.05 µg/µL as determined by microplate BCA method **Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining **Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol Recombinant protein was captured through anti-DDK affinity column followed by **Preparation:** conventional chromatography steps. Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process. Store at -80°C. Storage: Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. RefSeq: NP 778235 317772 Locus ID: O8IUE6 **UniProt ID: RefSeq Size:** 448 Cytogenetics: 1q21.2



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

	H2AC21 (NM_175065) Human Recombinant Protein – TP320685L	
RefSeq ORF:	390	
Synonyms:	H2AB; HIST2H2AB	
Summary:	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2A family. Transcripts from this gene contain a palindromic termination element. [provided by RefSeq, Aug 2015]	
Protein Pathway	s: Systemic lupus erythematosus	

Product images:

116 -	-
66 -	-
45 -	-
35 -	-
25 -	-
18 -	
14 -	_

Coomassie blue staining of purified HIST2H2AB protein (Cat# [TP320685]). The protein was produced from HEK293T cells transfected with HIST2H2AB cDNA clone (Cat# [RC220685]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US