

Product datasheet for TP320725

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

RIPPLY2 (NM 001009994) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human ripply2 homolog (zebrafish) (RIPPLY2), 20 μg

Species: Human Expression Host: HEK293T

Expression cDNA >RC220725 protein sequence
Clone or AA Red=Cloning site Green=Tags(s)

Sequence:

MENAGGAEGTESGAAACAATDGPTRRAGADSGYAGFWRPWVDAGGKKEEETPNHAAEAMPDGPGMTAASG

KLYQFRHPVRLFWPKSKCYDYLYQEAEALLKNFPIQATISFYEDSDSEDEIEDLTCEN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 13.7 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience some

loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 001009994

 Locus ID:
 134701

 UniProt ID:
 Q5TAB7

RefSeq Size: 674

Cytogenetics: 6q14.2



RefSeq ORF: 384


Synonyms: C6orf159; dJ237l15.1; SCDO6

Summary: This gene encodes a nuclear protein that belongs to a novel family of proteins required for

vertebrate somitogenesis. Members of this family have a tetrapeptide WRPW motif that is required for interaction with the transcriptional repressor Groucho and a carboxy-terminal Ripply homology domain/Bowline-DSCR-Ledgerline conserved region required for transcriptional repression. Null mutant mice die soon after birth and display defects in axial skeleton segmentation due to defective somitogenesis. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, Feb 2016]

Product images:



Coomassie blue staining of purified RIPPLY2 protein (Cat# TP320725). The protein was produced from HEK293T cells transfected with RIPPLY2 cDNA clone (Cat# [RC220725]) using MegaTran 2.0 (Cat# [TT210002]).