

## Product datasheet for TP321589

### Caspase-7 (CASP7) (NM\_033338) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Homo sapiens caspase 7, apoptosis-related cysteine peptidase (CASP7), transcript variant delta, 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC221589 representing NM_033338 <b>Red</b> =Cloning site <b>Green</b> =Tags(s)

MDCVGPWPGRKWHLEKNTSCGGSSGICASYVTQMADDQGCIEEQGVEDSANEDSVDKAPDRSSFVPSLFS  
KKKKNVTMRSIKTTRDRVPTYQYNMNFELGKCIINNKNFDKVTGMGVRNGTDKDAEALFKCFRSLGFD  
VIVYNDSCAKMQDLLKASEEDHTNAACFACILLSHGEENVYIGKDGVTPIKDLTAHFRGDRCKTLEK  
PKLFFIQACRGTELDGDIQADSGPINDTDANPRYKIPVEADFLFAYSTVPGYYSWRSPGRGSWFVQALCS  
ILEEHGKDLEIMQILTRVNDRVARHFESQSDDPHFHEKKQIPCVSMLTKELYFSQ


**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

Tag:	C-Myc/DDK
Predicted MW:	37.6 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<a href="#">NP_203124</a>
Locus ID:	840



[View online »](#)

UniProt ID:	<a href="#">P55210</a>
RefSeq Size:	2712
Cytogenetics:	10q25.3
RefSeq ORF:	1008
Synonyms:	CASP-7; CMH-1; ICE-LAP3; LICE2; MCH3
Summary:	This gene encodes a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. The precursor of the encoded protein is cleaved by caspase 3 and 10, is activated upon cell death stimuli and induces apoptosis. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, May 2012]
Protein Families:	Druggable Genome, Protease
Protein Pathways:	Alzheimer's disease, Apoptosis

**Product images:**

Coomassie blue staining of purified CASP7 protein (Cat# TP321589). The protein was produced from HEK293T cells transfected with CASP7 cDNA clone (Cat# [RC221589]) using MegaTran 2.0 (Cat# [TT210002]).