

Product datasheet for **TP321660M**

Cytochrome P450 2D6 (CYP2D6) (NM_001025161) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human cytochrome P450, family 2, subfamily D, polypeptide 6 (CYP2D6), transcript variant 2, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC221660 protein sequence Red =Cloning site Green =Tags(s)

MGLEALVPLAMIVAIFLLLVDLMHRRQRWAARYPPGPLPLPGLGNLLHVDFQNTPYCFDQLRRRFGDVFS
LQLAWTPVWVNLGLAAVREALVTHGEDTADRPPVPITQILGFGPRSQGRPFRPNGLLDKAVSNVIASLTC
GRRFEYDDPRFLRLDLAQEGLKEESGFLREVLNAVPLLHIALAGKVLRFQKAFLTQLDELLTEHRMT
WDPAQPPRDLTEAFLAEMEKAKGNPESSFNDENLCIVVADLFSAGMVTSTTLLAWGLLLMILHPDVQRRV
QQEIDDVIGQVRRPEMGDQAHMPYTTAVIHEVQRFGDIVPLGVTHMTSRDIEVQGFRIKGTTLITNLSS
VLKDEAVWEKPFRLFHPEHFLDAQGHFVKPEAFLPFSAGRRAACLGEPLARMEFLFFTSLLQHFSFSVPTG
QRPSSHGVAFLVTPSPYELCAVPR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	49.8 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.



[View online »](#)


RefSeq:	NP_001020332
Locus ID:	1565
UniProt ID:	P10635 , Q5Y7H2
RefSeq Size:	1520
Cytogenetics:	22q13.2
RefSeq ORF:	1338
Synonyms:	CPD6; CYP2D; CYP2D7AP; CYP2D7BP; CYP2D7P2; CYP2D8P2; CYP2DL1; CYP1ID6; P450-DB1; P450C2D; P450DB1

Summary: This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and is known to metabolize as many as 25% of commonly prescribed drugs. Its substrates include antidepressants, antipsychotics, analgesics and antitussives, beta adrenergic blocking agents, antiarrhythmics and antiemetics. The gene is highly polymorphic in the human population; certain alleles result in the poor metabolizer phenotype, characterized by a decreased ability to metabolize the enzyme's substrates. Some individuals with the poor metabolizer phenotype have no functional protein since they carry 2 null alleles whereas in other individuals the gene is absent. This gene can vary in copy number and individuals with the ultrarapid metabolizer phenotype can have 3 or more active copies of the gene. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2014]

Protein Families: Druggable Genome, P450, Transmembrane

Protein Pathways: Drug metabolism - cytochrome P450

Product images:



Coomassie blue staining of purified CYP2D6 protein (Cat# [TP321660]). The protein was produced from HEK293T cells transfected with CYP2D6 cDNA clone (Cat# [RC221660]) using MegaTran 2.0 (Cat# [TT210002]).