

Product datasheet for TP322239

DMAP1 (NM_019100) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human DNA methyltransferase 1 associated protein 1 (DMAP1), transcript variant 1, 20 µg

Species: Human

Expression Host: HEK293T

Expression cDNA Clone or AA Sequence: >RC222239 protein sequence
Red=Cloning site **Green**=Tags(s)

MATGADV RDILELGGPEGDAASGTISKKDIINPDKKKSKKSSSETLTFKRPEGMHREVVALLYSDKKDAPP
LLPSDTGQGYRTVKAKLGSKKVRPWKWMPTNPARKDGAMFFHWRRAAEEGKDYPFARFNKTVQVPVYSE
QEYQLYLHDDAWTKAETDHLFDLSRRFDLRFVVIH DRYDHQQFKRSVEDLKERYHICAKLANVRAVPG
TDLKIPVFDAGHERRRKEQLERLYNRTPEQVAEEYLLQELRKIEARKKEREKRSQDLQKLITAADTTAE
QRRTERKAPKKKLPQKKEAEKPAVPETAGIKFPDFKSAGVTLRSQRMKLPSSVGQKKIKALEQM LLELGV
ELSPTPTEELVHMFNELRSDLVLLYELKQACANCEYELQMLRHRHEALARAGVLGGPATPASGPGPASAE
PAVTEPGLGDPDKDTIIDVVGAPLTPNSRKRRESASSSSSVKKAKKP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 52.8 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.




[View online >](#)

RefSeq:	NP_061973
Locus ID:	55929
UniProt ID:	Q9NPF5
RefSeq Size:	1784
Cytogenetics:	1p34.1
RefSeq ORF:	1401
Synonyms:	DNMAP1; DNMTAP1; EAF2; MEAF2; SWC4

Summary: This gene encodes a subunit of several, distinct complexes involved in the repression or activation of transcription. The encoded protein can independently repress transcription and is targeted to replication foci throughout S phase by interacting directly with the N-terminus of DNA methyltransferase 1. During late S phase, histone deacetylase 2 is added to this complex, providing a means to deacetylate histones in transcriptionally inactive heterochromatin following replication. The encoded protein is also a component of the nucleosome acetyltransferase of H4 complex and interacts with the transcriptional corepressor tumor susceptibility gene 101 and the pro-apoptotic death-associated protein 6, among others. Alternatively spliced transcript variants encoding the same protein have been described. [provided by RefSeq, Jul 2008]

Protein Families: Transcription Factors

Product images:



Coomassie blue staining of purified DMAP1 protein (Cat# TP322239). The protein was produced from HEK293T cells transfected with DMAP1 cDNA clone (Cat# [RC222239]) using MegaTran 2.0 (Cat# [TT210002]).