

## **Product datasheet for TP322380**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## SIRP alpha (SIRPA) (NM\_001040022) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human signal-regulatory protein alpha (SIRPA), transcript variant 1,

20 µg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** 

or AA Sequence:

Recombinant protein was produced with TrueORF clone, RC222380.

Tag: C-Myc/DDK

Predicted MW: 52.3 kDa

**Concentration:** >0.05 μg/μL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 001035111

 Locus ID:
 140885

 UniProt ID:
 P78324

 RefSeq Size:
 4201

 Cytogenetics:
 20p13

 RefSeq ORF:
 1515

Synonyms: BIT; CD172A; MFR; MYD-1; P84; PTPNS1; SHPS1; SIRP






Summary:

The protein encoded by this gene is a member of the signal-regulatory-protein (SIRP) family, and also belongs to the immunoglobulin superfamily. SIRP family members are receptor-type transmembrane glycoproteins known to be involved in the negative regulation of receptor tyrosine kinase-coupled signaling processes. This protein can be phosphorylated by tyrosine kinases. The phospho-tyrosine residues of this PTP have been shown to recruit SH2 domain containing tyrosine phosphatases (PTP), and serve as substrates of PTPs. This protein was found to participate in signal transduction mediated by various growth factor receptors. CD47 has been demonstrated to be a ligand for this receptor protein. This gene and its product share very high similarity with several other members of the SIRP family. These related genes are located in close proximity to each other on chromosome 20p13. Multiple alternatively spliced transcript variants have been determined for this gene. [provided by RefSeq, Jul 2008]

**Protein Families:** 

Druggable Genome, Phosphatase, Transmembrane

## **Product images:**



Coomassie blue staining of purified SIRPA protein (Cat# TP322380). The protein was produced from HEK293T cells transfected with SIRPA cDNA clone (Cat# [RC222380]) using MegaTran 2.0 (Cat# [TT210002]).