

## Product datasheet for TP322502M

### DAP12 (TYROBP) (NM\_003332) Human Recombinant Protein


#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human TYRO protein tyrosine kinase binding protein (TYROBP), transcript variant 1, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC222502 protein sequence <span style="color: red;">Red</span> =Cloning site <span style="color: green;">Green</span> =Tags(s)  MGGLEPCSRLLLLPLLLAVSGLRPVQAQAQSDCSCSTVSPGVLGIVMGDLVLTVLIALAVYFLGRLVPR GRGAAEAATRKRITETESPYQELQGQRSDVYSDLNTQRPYYK  <span style="color: red;">TR</span> <span style="color: green;">TRPLEQKLISEEDLAANDILDYKDDDDKV</span>
Tag:	C-Myc/DDK
Predicted MW:	9.3 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<a href="#">NP_003323</a>
Locus ID:	7305
UniProt ID:	<a href="#">O43914</a>
RefSeq Size:	608


[View online »](#)

<b>Cytogenetics:</b>	19q13.12
<b>RefSeq ORF:</b>	339
<b>Synonyms:</b>	DAP12; KARAP; PLOSL; PLOSL1
<b>Summary:</b>	This gene encodes a transmembrane signaling polypeptide which contains an immunoreceptor tyrosine-based activation motif (ITAM) in its cytoplasmic domain. The encoded protein may associate with the killer-cell inhibitory receptor (KIR) family of membrane glycoproteins and may act as an activating signal transduction element. This protein may bind zeta-chain (TCR) associated protein kinase 70kDa (ZAP-70) and spleen tyrosine kinase (SYK) and play a role in signal transduction, bone modeling, brain myelination, and inflammation. Mutations within this gene have been associated with polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy (PLOSL), also known as Nasu-Hakola disease. Its putative receptor, triggering receptor expressed on myeloid cells 2 (TREM2), also causes PLOSL. Multiple alternative transcript variants encoding distinct isoforms have been identified for this gene. [provided by RefSeq, Mar 2010]
<b>Protein Families:</b>	Druggable Genome, Transmembrane
<b>Protein Pathways:</b>	Natural killer cell mediated cytotoxicity

### Product images:



Coomassie blue staining of purified TYROBP protein (Cat# [TP322502]). The protein was produced from HEK293T cells transfected with TYROBP cDNA clone (Cat# [RC222502]) using MegaTran 2.0 (Cat# [TT210002]).