

## Product datasheet for **TP322626M**

### GLCNE (GNE) (NM\_005476) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human glucosamine (UDP-N-acetyl)-2-epimerase/N-acetylmannosamine kinase (GNE), transcript variant 2, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC222626 protein sequence <b>Red</b> =Cloning site <b>Green</b> =Tags(s)

MEKNGNRRKLRVCVATCNRADYSKLAPIMFGIKTEPEFFELDVVVLGSHLIDDYGNTYRMIEQDDFDINT  
RLHTIVRGEDEAAMVESVGLALVKLPDVLNRLKPDIMIVHGDRFDALALATSAALMNIRILHIEGGEVSG  
TIDDSIRHAITKLAHYHVCCTRSAEQHLISMCEDHDRILLAGCPSYDKLLSAKNKDYMSIIRMWLGDDVK  
SKDYIVALQHPVTTDIKHSIKMFELTDALISFNKRTLVLFPNIDAGSKEMVRVMRKKGIEHHPNFRAVK  
HVPFDQFIQLVAHAGCMIGNSSCGVREVGAFGTPVINLGTQIGRETGENVLHVRDADTQDKILQALHLQ  
FGKQYPCSKIYGDGNAVPRILKFLKSIDLQEPLQKKFCPPVKENISQDIDHILETSLAVALDLGGTNLR  
VAIVSMKGEIVKKYTQFNPKTYEERINLILQMCVEAAAEAVKLNCRILGVGISTGGRVNPREGIVLHSTK  
LIQEWNSVDLRTPLSDTLHLPVWVDNDGNCAALAEKFGQGKLENFVTLITGTGIGGGIIHQHELIHGS  
SFCAAELGHLVWVSLDGPDCSCGSHGCIEAYASGMALQREAKKLHDEDLVVEGMSVPKDEAVGALHLIQA  
AKLGNKAQSI LR TAGTALGLGVNLTHTMNP SLVILSGVLASHYIHIVKD VIRQQALSSVQD VDVVWSD  
LVDPALLGAASMVLDTTRRIY

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**


Tag:	C-Myc/DDK
Predicted MW:	79.1 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.



[View online »](#)

<b>Storage:</b>	Store at -80°C.
<b>Stability:</b>	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
<b>RefSeq:</b>	<a href="#">NP_005467</a>
<b>Locus ID:</b>	10020
<b>UniProt ID:</b>	<a href="#">Q9Y223</a>
<b>RefSeq Size:</b>	5329
<b>Cytogenetics:</b>	9p13.3
<b>RefSeq ORF:</b>	2166
<b>Synonyms:</b>	DMRV; GLCNE; IBM2; NM; Uae1
<b>Summary:</b>	The protein encoded by this gene is a bifunctional enzyme that initiates and regulates the biosynthesis of N-acetylneuraminic acid (NeuAc), a precursor of sialic acids. It is a rate-limiting enzyme in the sialic acid biosynthetic pathway. Sialic acid modification of cell surface molecules is crucial for their function in many biologic processes, including cell adhesion and signal transduction. Differential sialylation of cell surface molecules is also implicated in the tumorigenicity and metastatic behavior of malignant cells. Mutations in this gene are associated with sialuria, autosomal recessive inclusion body myopathy, and Nonaka myopathy. Alternative splicing of this gene results in transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Amino sugar and nucleotide sugar metabolism, Metabolic pathways

### Product images:



Coomassie blue staining of purified GNE protein (Cat# [TP322626]). The protein was produced from HEK293T cells transfected with GNE cDNA clone (Cat# [RC222626]) using MegaTran 2.0 (Cat# [TT210002]).