

Product datasheet for **TP322782L**

PPM1B (NM_177968) Human Recombinant Protein

Product data:

| | |
|---------------------------------------|---|
| Product Type: | Recombinant Proteins |
| Description: | Recombinant protein of human protein phosphatase 1B (formerly 2C), magnesium-dependent, beta isoform (PPM1B), transcript variant 2, 1 mg |
| Species: | Human |
| Expression Host: | HEK293T |
| Expression cDNA Clone or AA Sequence: | >RC222782 representing NM_177968 Red =Cloning site Green =Tags(s) MGAFLDKPKTEKHNAHGAGNGLRYGLSSMQGWRVEMEDAHTAVVGIPHGLEDWSFFAVYDGHAGSRVANY CSTHLLIHITTNEDFRAAGKSGSALELSVENVKNIGIRTGFLKIDEYMRNFSDLRNGMDRSGSTAVGVMIS PKHIYFINGDSRAVLYRNGQVCFSTQDHKPCNPREKERIQNAGGSVMIQRVNGSLAVSRALGDYDYKCV DGKGPTEQLVSPEPEVEILRAEEDFIIACDGIWDVMSNEELCEYVKSRLVSDDLNVCNWWVDTCCL HKGSRDNMSIVLVCFSNAPKVSDEAVKKDSELDKHLESRVVEIMEKSGEEMPDLAHVMRILSAENIPNL PPGGGLAGKRNVIEAVYSRLNPHRESGGAGDLEDPW TRTRPLEQKLISEEDLAANDILDYKDDDDKV |
| Tag: | C-Myc/DDK |
| Predicted MW: | 42.6 kDa |
| Concentration: | >0.05 µg/µL as determined by microplate BCA method |
| Purity: | > 80% as determined by SDS-PAGE and Coomassie blue staining |
| Buffer: | 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol |
| Preparation: | Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps. |
| Note: | For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process. |
| Storage: | Store at -80°C. |
| Stability: | Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. |
| RefSeq: | <u>NP_808907</u> |



[View online »](#)

Locus ID: 5495

UniProt ID: [O75688](#)

RefSeq Size: 3850

Cytogenetics: 2p21

RefSeq ORF: 1161


Synonyms: PP2C-beta; PP2C-beta-X; PP2CB; PP2CBETA; PPC2BETAX

Summary: The protein encoded by this gene is a member of the PP2C family of Ser/Thr protein phosphatases. PP2C family members are known to be negative regulators of cell stress response pathways. This phosphatase has been shown to dephosphorylate cyclin-dependent kinases (CDKs), and thus may be involved in cell cycle control. Overexpression of this phosphatase is reported to cause cell-growth arrest or cell death. Alternative splicing results in multiple transcript variants encoding different isoforms. Additional transcript variants have been described, but currently do not represent full-length sequences. [provided by RefSeq, Jul 2008]

Protein Families: Druggable Genome, Phosphatase, Stem cell - Pluripotency

Protein Pathways: MAPK signaling pathway

Product images:



Coomassie blue staining of purified PPM1B protein (Cat# [TP322782]). The protein was produced from HEK293T cells transfected with PPM1B cDNA clone (Cat# [RC222782]) using MegaTran 2.0 (Cat# [TT210002]).