

## Product datasheet for TP323048

### GRIK2 (NM\_175768) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human glutamate receptor, ionotropic, kainate 2 (GRIK2), transcript variant 2, 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC223048 representing NM_175768 Red=Cloning site Green=Tags(s)

MKIIFPILSNPVFRRTVKLLLCLLWIGYSQGTTHVLRFGGIFEVESGPMGAEELAFRFAVNTINRNRTL  
LPNTTLTYDTQKINLYDSFEASKKACDQLSLGVAFIGPSHSSSANAVQSICNALGVPHIQTRWKHQVSD  
NKDSFYVSLYPDFSSLSRAILDVQFFKWKTVTVVYDDSTGLIRLQELIKAPSRYNLRLKIRQLPADTKD  
AKPLLKEMKRGKEFHVIFDCSHEMAAGILKQALAMGMMTEYYHYIFTLLDLFALDVEPYRYSGVNMTGFR  
ILNTEQVSSIIKWSMERLQAPPKPDGLLDGFMTTDAALMYDAVHVSVAVQQFPQMTVSSLQCNRH  
KPWRFGTRFMSLIKEAHWEGLTGRITFNKTNGLRDFDLVLSLKEEGLEKIGTWDPASGLNMTESQKKG  
PANITDSLSNRSLIVTTILEEPYVLFKKS DKPLYGNDRFEGYCIDLLRELSTILGFTYEIRLVEDGKYGA  
QDDANGQWNGMVRELIDHKADLAVAPLAITYVREKVIDFSKPFMTLGISILYRKPNGTNPGVFSFLNPLS  
PDIWMIYLLAYLGVSCVLFVIARFSPYEWYNPHPCNPDSVVENNFTLLNSFWFGVGMALMQQGSSELMPPKA  
LSTRIVGGIWWFFTLIISSYTANLAAFLTVERMESPIDSAADLAKQTKIEYGAVEDGATMTFFKSKIS  
TYDKMWAFMSSRRQSVLVKSNEEGIQRVLTSDYAFLMESTTIEFVTQRNCNLTQIGGLIDSKGYGVGTPM  
GSPYRDKITIAILQLQEEGKLHMMKEKWWRGNGCPEEESKEASALGVQNIIGGIFIVLAAGLVLSVFAVAVG  
EFLYKSKKNAQLEKESSIWLPPYHPDTV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	94.3 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.



[View online »](#)

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.

**Storage:** Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** [NP\\_786944](#)

**Locus ID:** 2898

**UniProt ID:** [Q13002](#), [Q8IY40](#), [A8K0H7](#)

**RefSeq Size:** 3409

**Cytogenetics:** 6q16.3

**RefSeq ORF:** 2607


**Synonyms:** EAA4; GLR6; GluK2; GLUK6; GLUR6; MRT6

**Summary:** Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. This gene product belongs to the kainate family of glutamate receptors, which are composed of four subunits and function as ligand-activated ion channels. The subunit encoded by this gene is subject to RNA editing at multiple sites within the first and second transmembrane domains, which is thought to alter the structure and function of the receptor complex. Alternatively spliced transcript variants encoding different isoforms have also been described for this gene. Mutations in this gene have been associated with autosomal recessive cognitive disability. [provided by RefSeq, Jul 2008]

**Protein Families:** Druggable Genome, Ion Channels: Glutamate Receptors, Transmembrane

**Protein Pathways:** Neuroactive ligand-receptor interaction

### Product images:



Coomassie blue staining of purified GRIK2 protein (Cat# TP323048). The protein was produced from HEK293T cells transfected with GRIK2 cDNA clone (Cat# [RC223048]) using MegaTran 2.0 (Cat# [TT210002]).