

Product datasheet for TP323551M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Histone H2A Bbd (H2AFB2) (NM_001017991) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human H2A histone family, member B2 (H2AFB2), 100 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC223551 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MPRRRRRGSSGAGGRGRTCSRTVRAELSFSVSQVERSLREGHYAQRLSRTAPVYLAAVIEYLTAKVLEL

AGNEAQNSGERNITPLLLDMVVHNDRLLSTLFNTTTISQVAPGED

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 12.5 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 001017991

 Locus ID:
 474381

 UniProt ID:
 P0C5Z0

RefSeq Size: 594 Cytogenetics: Xq28





RefSeq ORF: 345

Synonyms: H2A.Bbd; H2AB3; H2AFB2


Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

> chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene encodes a replication-independent histone that is a member of the histone H2A family. This gene is part of a region that is repeated three times on chromosome X, once in intron 22 of the F8 gene and twice closer to the Xq telomere. This record represents

the middle copy. [provided by RefSeq, Oct 2015]

Systemic lupus erythematosus **Protein Pathways:**

Product images:



Coomassie blue staining of purified H2AFB2 protein (Cat# [TP323551]). The protein was produced from HEK293T cells transfected with H2AFB2 cDNA clone (Cat# [RC223551]) using

MegaTran 2.0 (Cat# [TT210002]).