

## **Product datasheet for TP324020**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Peroxiredoxin 5 (PRDX5) (NM\_181651) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human peroxiredoxin 5 (PRDX5), nuclear gene encoding

mitochondrial protein, transcript variant 2, 20 µg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC224020 representing NM\_181651 or AA Sequence: Red=Cloning site Green=Tags(s)

MGLAGVCALRRSAGYILVGGAGGQSAAAAARRCSEGEWASGGVRSFSRAAAAMAPIKVGDAIPAVEVFEG EPGNKVNLAELFKGKKGVLFGVPGAFTPGCSKVRLLADPTGAFGKETDLLLDDSLVSIFGNRRLKRFSMV

VQDGIVKALNVEPDGTGLTCSLAPNIISQL

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK
Predicted MW: 17.2 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 857634

Locus ID: 25824 UniProt ID: P30044





RefSeq Size: 781

Cytogenetics: 11q13.1 RefSeq ORF: 510

Synonyms: ACR1; AOEB166; B166; HEL-S-55; PLP; PMP20; PRDX6; prx-V; PRXV; SBBI10

Summary: This gene encodes a member of the peroxiredoxin family of antioxidant enzymes, which

reduce hydrogen peroxide and alkyl hydroperoxides. The encoded protein interacts with peroxisome receptor 1 and plays an antioxidant protective role in different tissues under normal conditions and during inflammatory processes. The use of alternate transcription start sites is thought to result in transcript variants that use different in-frame translational start


codons to generate isoforms that are targeted to the mitochondrion (isoform L) or

peroxisome/cytoplasm (isoform S). Multiple related pseudogenes have been defined for this

gene. [provided by RefSeq, Nov 2017]

**Protein Families:** Druggable Genome

## **Product images:**



Coomassie blue staining of purified PRDX5 protein (Cat# TP324020). The protein was produced from HEK293T cells transfected with PRDX5 cDNA clone (Cat# [RC224020]) using MegaTran 2.0 (Cat# [TT210002]).