

## **Product datasheet for TP325152M**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## HRASLS3 (PLA2G16) (NM\_001128203) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human phospholipase A2, group XVI (PLA2G16), transcript variant 2,

100 µg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC225152 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MRAPIPEPKPGDLIEIFRPFYRHWAIYVGDGYVVHLAPPSEVAGAGAASVMSALTDKAIVKKELLYDVAG SDKYQVNNKHDDKYSPLPCSKIIQRAEELVGQEVLYKLTSENCEHFVNELRYGVARSDQVRDVIIAASVA

GMGLAAMSLIGVMFSRNKRQKQ

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK
Predicted MW: 17.8 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 001121675

Locus ID: 11145

UniProt ID: <u>P53816</u>, <u>A0A024R561</u>





RefSeq Size: 1111

**Cytogenetics:** 11q12.3-q13.1

RefSeq ORF: 486

Synonyms: AdPLA; H-REV107; H-REV107-1; HRASLS3; HREV107; HREV107-1; HREV107-3; HRSL3; PLA2G16;

PLAAT-3

Summary: Exhibits both phospholipase A1/2 and acyltransferase activities (PubMed:19615464,

PubMed:19047760, PubMed:22825852, PubMed:22605381, PubMed:26503625). Shows

phospholipase A1 (PLA1) and A2 (PLA2) activity, catalyzing the calcium-independent release of fatty acids from the sn-1 or sn-2 position of glycerophospholipids (PubMed:19615464,


PubMed:19047760, PubMed:22825852, PubMed:22605381, PubMed:22923616). For most substrates, PLA1 activity is much higher than PLA2 activity (PubMed:19615464). Shows O-acyltransferase activity, catalyzing the transfer of a fatty acyl group from glycerophospholipid to the hydroxyl group of lysophospholipid (PubMed:19615464). Shows N-acyltransferase activity, catalyzing the calcium-independent transfer of a fatty acyl group at the sn-1 position

of phosphatidylcholine (PC) and other glycerophospholipids to the primary amine of phosphatidylethanolamine (PE), forming N-acylphosphatidylethanolamine (NAPE), which serves as precursor for N-acylethanolamines (NAEs) (PubMed:19615464, PubMed:19047760, PubMed:22825852, PubMed:22605381). Exhibits high N-acyltransferase activity and low

phospholipase A1/2 activity (PubMed:22825852).[UniProtKB/Swiss-Prot Function]

**Protein Families:** Druggable Genome, Transmembrane

## **Product images:**



Coomassie blue staining of purified PLAAT3 protein (Cat# [TP325152]). The protein was produced from HEK293T cells transfected with PLAAT3 cDNA clone (Cat# [RC225152]) using MegaTran 2.0 (Cat# [TT210002]).