

## **Product datasheet for TP325345M**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Bcl2 Binding component 3 (BBC3) (NM\_001127240) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human BCL2 binding component 3 (BBC3), transcript variant 1, 100 μg

Species: Human Expression Host: HEK293T

**Expression cDNA** >RC225345 representing NM 001127240

Clone or AA Red=Cloning site Green=Tags(s)

Sequence:

MKFGMGSAQACPCQVPRAASTTWVPCQICGPRERHGPRTPGGQLPGARRGPGPRRPAPLPARPPGALGSV LRPLRARPGCRPRRPHPAARCLPLRPHRPTRRHRRPGGFPLAWGSPQPAPRPAPGRSSALALAGGAAPGV ARAQRPGGSGGRSHPGGPGSPRGGGTVGPGDRGPAAADGGRPQRTVRAAETRGAAAAPPLTLEGPVQSHH

GTPALTQGPQSPRDGAQLGACTRPVDVRDSGGRPLPPPDTLASAGDFLCTM

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK
Predicted MW: 26.3 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 001120712

**Locus ID:** 27113

UniProt ID: Q9BXH1, Q96PG8





Cytogenetics: 19q13.32

RefSeq ORF: 783

Synonyms: JFY-1; JFY1; PUMA


**Summary:** This gene encodes a member of the BCL-2 family of proteins. This family member belongs to the

BH3-only pro-apoptotic subclass. The protein cooperates with direct activator proteins to induce mitochondrial outer membrane permeabilization and apoptosis. It can bind to anti-apoptotic Bcl-2 family members to induce mitochondrial dysfunction and caspase activation. Because of its pro-apoptotic role, this gene is a potential drug target for cancer therapy and for tissue injury. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2011]

**Protein Families:** Druggable Genome

**Protein Pathways:** Huntington's disease, p53 signaling pathway

## **Product images:**



Coomassie blue staining of purified BBC3 protein (Cat# [TP325345]). The protein was produced from HEK293T cells transfected with BBC3 cDNA clone (Cat# [RC225345]) using MegaTran 2.0

(Cat# [TT210002]).