

Product datasheet for TP325642

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SIGIRR (NM_001135053) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human single immunoglobulin and toll-interleukin 1 receptor (TIR)

domain (SIGIRR), transcript variant 2, 20 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC225642 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MPGVCDRAPDFLSPSEDQVLRPALGSSVALNCTAWVVSGPHCSLPSVQWLKDGLPLGIGGHYSLHEYSWV KANLSEVLVSSVLGVNVTSTEVYGAFTCSIQNISFSSFTLQRAGPTSHVAAVLASLLVLLALLLAALLYV KCRLNVLLWYQDAYGEVEINDGKLYDAYVSYSDCPEDRKFVNFILKPQLERRRGYKLFLDDRDLLPRAEP SADLLVNLSRCRRLIVVLSDAFLSRAWCSHSFREGLCRLLELTRRPIFITFEGQRRDPAHPALRLLRQHR HLVTLLLWRPGSVTPSSDFWKEVQLALPRKVRYRPVEGDPQTQLQDDKDPMLILRGRVPEGRALDSEVDP

DPEGDLGVRGPVFGEPSAPPHTSGVSLGESRSSEVDVSDLGSRNYSARTDFYCLVSKDDM

SGPTRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK
Predicted MW: 45.5 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 001128525





Locus ID: 59307

UniProt ID: Q6IA17 RefSeq Size: 1688 Cytogenetics: 11p15.5 RefSeq ORF: 1230

Synonyms: IL-1R8; TIR8


Summary: Acts as a negative regulator of the Toll-like and IL-1R receptor signaling pathways. Attenuates

> the recruitment of receptor-proximal signaling components to the TLR4 receptor, probably through an TIR-TIR domain interaction with TLR4. Through its extracellular domain interferes

with the heterodimerization of Il1R1 and IL1RAP.[UniProtKB/Swiss-Prot Function]

Transcription Factors, Transmembrane **Protein Families:**

Product images:



Coomassie blue staining of purified SIGIRR protein (Cat# TP325642). The protein was produced from HEK293T cells transfected with SIGIRR cDNA clone (Cat# [RC225642]) using

MegaTran 2.0 (Cat# [TT210002]).