

Product datasheet for TP325960M

SH3BP2 (NM_001122681) Human Recombinant Protein

Product data:

| | |
|---------------------------------------|--|
| Product Type: | Recombinant Proteins |
| Description: | Recombinant protein of human SH3-domain binding protein 2 (SH3BP2), transcript variant 2, 100 µg |
| Species: | Human |
| Expression Host: | HEK293T |
| Expression cDNA Clone or AA Sequence: | >RC225960 protein sequence Red=Cloning site Green=Tags(s) |

MAAEEMHWPVPMKAIGAQNLLTMPGGVAKAGYLHKKGGTQLQLLKWPLRFVIIHKRCVYYFKSSTSASPQ
GAFSLSGYNRVMRAAEETTSNNVFPFKIIHISKKHRTWFFSASSEERKSWMALLRREIGHFHEKKDLPL
DTSDDSSDTSFYGAVERPVDISLSPYPTDNEDYEHDDDEDDSYLEPDSPEPGRLEDALMHPPAYPPPPVP
TPRKPAFSDMPRAHSFTSKGPGPLPPPPPKHGLPDVGLAAEDSKRDPLCPRRAEPCPRVPATPRRMSDP
PLSTMPTAPGLRKPPCFRESASPSPEPWTPGHGACSTSSAAIMATATSRNCDKLSFHLSRGPPTSEPP
PVPANKPKFLKIAEEDPPREAAMPGLFVPPVAPRPPALKLPVPEAMARPAVLRPEKQQLPHLQRSPPDG
QSFRSFSFEKPRQPSQADTGGDDSEDEYKVLPLNSVFNVTESCEVERLFKATSPRGEPQDGLYCIRNS
STKSGKVLVWDETSNKVRNYRIFEKDSKFYLEGEVLFVSVGSMVEHYHTHVLPESHQSLLLRHPYGYTGP
R

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


| | |
|----------------|--|
| Tag: | C-Myc/DDK |
| Predicted MW: | 62.1 kDa |
| Concentration: | >0.05 µg/µL as determined by microplate BCA method |
| Purity: | > 80% as determined by SDS-PAGE and Coomassie blue staining |
| Buffer: | 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol |
| Preparation: | Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps. |
| Note: | For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process. |
| Storage: | Store at -80°C. |



[View online »](#)

| | |
|--------------------------|---|
| Stability: | Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. |
| RefSeq: | NP_001116153 |
| Locus ID: | 6452 |
| UniProt ID: | P78314 , A0A384N6E5 |
| RefSeq Size: | 9068 |
| Cytogenetics: | 4p16.3 |
| RefSeq ORF: | 1683 |
| Synonyms: | 3BP-2; 3BP2; CRBM; CRPM; RES4-23 |
| Summary: | The protein encoded by this gene has an N-terminal pleckstrin homology (PH) domain, an SH3-binding proline-rich region, and a C-terminal SH2 domain. The protein binds to the SH3 domains of several proteins including the ABL1 and SYK protein tyrosine kinases, and functions as a cytoplasmic adaptor protein to positively regulate transcriptional activity in T, natural killer (NK), and basophilic cells. Mutations in this gene result in cherubism. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2009] |
| Protein Families: | Druggable Genome |
| Protein Pathways: | Natural killer cell mediated cytotoxicity |

Product images:



Coomassie blue staining of purified SH3BP2 protein (Cat# [TP325960]). The protein was produced from HEK293T cells transfected with SH3BP2 cDNA clone (Cat# [RC225960]) using MegaTran 2.0 (Cat# [TT210002]).