

## **Product datasheet for TP326322M**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### SUPT5H (NM\_001130824) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Purified recombinant protein of Homo sapiens suppressor of Ty 5 homolog (S. cerevisiae)

(SUPT5H), transcript variant 3, 100 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC226322 representing NM\_001130824

or AA Sequence: Red=Cloning site Green=Tags(s)

MSDSEDSNFSEEEDSERSSDGEEAEVDEERRSAAGSEKEEEPEDEEEEEEEYDEEEEEEDDDRPPKKP RHGGFILDEADVDDEYEDEDQWEDGAEDILEKEEIEASNIDNVVLDEDRSGARRLQNLWRDQREEELGEY YMKKYAKSSVGETVYGGSDELSDDITQQQLLPGVKDPNLWTVKCKIGEERATAISLMRKFIAYQFTDTPL QIKSVVAPEHVKGYIYVEAYKQTHVKQAIEGVGNLRLGYWNQQMVPIKEMTDVLKVVKEVANLKPKSWVR LKRGIYKDDIAQVDYVEPSQNTISLKMIPRIDYDRIKARMSLKDWFAKRKKFKRPPQRLFDAEKIRSLGG DVASDGDFLIFEGNRYSRKGFLFKSFAMSAVITEGVKPTLSELEKFEDQPEGIDLEVVTESTGKEREHNF QPGDNVEVCEGELINLQGKILSVDGNKITIMPKHEDLKDMLEFPAQELRKYFKMGDHVKVIAGRFEGDTG LIVRVEENFVILFSDLTMHELKVLPRDLQLCSETASGVDVGGQHEWGELVQLDPQTVGVIVRLERETFQV LNMYGKVVTVRHQAVTRKKDNRFAVALDSEQNNIHVKDIVKVIDGPHSGREGEIRHLFRSFAFLHCKKLV ENGGMFVCKTRHLVLAGGSKPRDVTNFTVGGFAPMSPRISSPMHPSAGGQRGGFGSPGGGSGGMSRGR

RDNELIGQTVRISQGPYKGYIGVVKDATESTARVELHSTCQTISVDRQRLTTVGSRRPGGMTSTYGRTPM YGSQTPMYGSGSRTPMYGSQTPLQDGSRTPHYGSQTPLHDGSRTPAQSGAWDPNNPNTPSRAEEEYEY

ΑF

GR

DDEPTPSPQAYGGTPNPQTPGYPDPSSPQVNPQYNPQTPGTPAMYNTDQFSPYAAPSPQGSYQPSPSP

Ų٥

YHQVAPSPAGYQNTHSPASYHPTPSPMAYQASPSPSPVGYSPMTPGAPSPGGYNPHTPGSGIEQNSSD

WV

 ${\tt TTDIQVKVRDTYLDTQVVGQTGVIRSVTGGMCSVYLKDSEKVVSISSEHLEPITPTKNNKVKVILGEDRE}$ 

ATGVLLSIDGEDGIVRMDLDEQLKILNLRFLGKLLEA

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 

Tag: C-Myc/DDK
Predicted MW: 120.8 kDa





#### SUPT5H (NM\_001130824) Human Recombinant Protein - TP326322M

**Concentration:** >0.05 μg/μL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 001124296

 Locus ID:
 6829

 UniProt ID:
 000267

 Cytogenetics:
 19q13.2

 RefSeq ORF:
 3261

**Synonyms:** SPT5; SPT5H; Tat-CT1

Summary: Component of the DRB sensitivity-inducing factor complex (DSIF complex), which regulates

mRNA processing and transcription elongation by RNA polymerase II. DSIF positively regulates mRNA capping by stimulating the mRNA guanylyltransferase activity of RNGTT/CAP1A. DSIF also acts cooperatively with the negative elongation factor complex (NELF complex) to enhance transcriptional pausing at sites proximal to the promoter. Transcriptional pausing may facilitate the assembly of an elongation competent RNA

polymerase II complex. DSIF and NELF promote pausing by inhibition of the transcription elongation factor TFIIS/S-II. TFIIS/S-II binds to RNA polymerase II at transcription pause sites and stimulates the weak intrinsic nuclease activity of the enzyme. Cleavage of blocked transcripts by RNA polymerase II promotes the resumption of transcription from the new 3' terminus and may allow repeated attempts at transcription through natural pause sites. DSIF can also positively regulate transcriptional elongation and is required for the efficient


activation of transcriptional elongation by the HIV-1 nuclear transcriptional activator, Tat. DSIF acts to suppress transcriptional pausing in transcripts derived from the HIV-1 LTR and blocks premature release of HIV-1 transcripts at terminator sequences.[UniProtKB/Swiss-Prot

Function]

**Protein Families:** Transcription Factors



# **Product images:**



Coomassie blue staining of purified SUPT5H protein (Cat# [TP326322]). The protein was produced from HEK293T cells transfected with SUPT5H cDNA clone (Cat# [RC226322]) using MegaTran 2.0 (Cat# [TT210002]).