

Product datasheet for **TP326803M**

NFAT1 (NFATC2) (NM_001136021) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Homo sapiens nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2 (NFATC2), transcript variant D, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC226803 representing NM_001136021 Red =Cloning site Green =Tags(s)

MQREAAFRLGHCHPLRIMGSVDQEEPNAHKVASPPSGPAYPDDVLDYGLKPYSPLASLSGEPGRFGEPD
RVGPQKFLSAAKPAGASGLSPRIEITPSHELIQAVGPLRMRDAGLLVEQPPLAGVAASPRFTLPVPGFEG
YREPLCLSPASSGSSASFISDTFSPYTPSPCVSPNNGGPDLLCPQFQNIHAYSPRTSPIMSPRTSLAEDS
CLGRHSPVPRPASRSSSPGAKRRHSCEALVALPPGASPQRSRSPSPQPSSHVAPQDHGSPAGYPPVAGS
AVIMDALNSLATDSPCGIPPKMWKTSPPDPSVSAAPSKAGLPRHIYPAVEFLGPCEQGERRNSAPESILL
VPPTWPKPLVPAIPICSIPTASLPLEWPLSSQSGSYELRIEVQPKPHHRAHYETEGSRGAVKAPTGGH
PVVQLHGYMENKPLGLQIFIGTADERILKPHAFYQVHRITGKTVTTTSYEKIVGNTKLEIPLPKNNMR
ATIDCAGILKLRNADIELRKGETDIGRKNTRVRLVFRVHIPESGRIVSLQTASNPIECSQRSHELPMV
ERQDTSCLVYGGQQMILTGQNFSESKVFTEKTTDGGQIWEWMEATVDKDKSQPNMLFVEIPEYRNKHI
RTPVKVNFYVINGKRKRSQPQHFTYHPVPAIKTEPTDEYDPTLICSPHGGGLSQPYYPQHPMVAESPSC
LVATMAPCQQFRTGLSSPDARYQQQNPAAVLYQRSKSLSPSLLGYQQPALMAAPLSLADAHRSVLVHAGS
QGQSSALLHPSPTNQASPVHYSPTNQLRCSHGEFQHIMYCENFAPGTRPGPPVVSQGQRLSPGSY
PTVIQQNATSQRAAKNGPPVSDQKEVLPAGVTIKQEQNLDQTYLDDDELIDTHLSWIQNIL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	97.5 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.



[View online »](#)

Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_001129493
Locus ID:	4773
UniProt ID:	Q13469
Cytogenetics:	20q13.2
RefSeq ORF:	2703
Synonyms:	NFAT1; NFATP
Summary:	This gene is a member of the nuclear factor of activated T cells (NFAT) family. The product of this gene is a DNA-binding protein with a REL-homology region (RHR) and an NFAT-homology region (NHR). This protein is present in the cytosol and only translocates to the nucleus upon T cell receptor (TCR) stimulation, where it becomes a member of the nuclear factors of activated T cells transcription complex. This complex plays a central role in inducing gene transcription during the immune response. Alternate transcriptional splice variants encoding different isoforms have been characterized. [provided by RefSeq, Apr 2012]
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Axon guidance, B cell receptor signaling pathway, MAPK signaling pathway, Natural killer cell mediated cytotoxicity, T cell receptor signaling pathway, VEGF signaling pathway, Wnt signaling pathway

Product images:



Coomassie blue staining of purified NFATC2 protein (Cat# [TP326803]). The protein was produced from HEK293T cells transfected with NFATC2 cDNA clone (Cat# [RC226803]) using MegaTran 2.0 (Cat# [TT210002]).