

## Product datasheet for TP327715M

### RIZ1 (PRDM2) (NM\_001135610) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human PR domain containing 2, with ZNF domain (PRDM2), transcript variant 4, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC227715 representing NM_001135610 <b>Red</b> =Cloning site <b>Green</b> =Tags(s)  MNQNTTEPVAATETLAEVPEHVLRLPEEVRLFPSAVDKTRIGVWATKPILKGKKFGPFVGDKKKRSQVK NNVYMWVYYPNLGWMCIDATDPEKGNWLRVYNWACSGEEQNLPLEINRAIYYKTLKPIAPGEELLVW Y NGEDNPEIAAAIEEERASARSKRSSPKSRKATASAWRPDALHQRPRTPSGSIGRSKLQLQPSSRDHSSKS RHSGCSLTAPEVTWNQ  <b>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</b>
Tag:	C-Myc/DDK
Predicted MW:	25.3 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u><a href="#">NP_001129082</a></u>
Locus ID:	7799


[View online »](#)

UniProt ID: [Q13029](#)

Cytogenetics: 1p36.21


RefSeq ORF: 678

Synonyms: HUMHOXY1; KMT8; KMT8A; MTB-ZF; RIZ; RIZ1; RIZ2

**Summary:** This tumor suppressor gene is a member of a nuclear histone/protein methyltransferase superfamily. It encodes a zinc finger protein that can bind to retinoblastoma protein, estrogen receptor, and the TPA-responsive element (MTE) of the heme-oxygenase-1 gene. Although the functions of this protein have not been fully characterized, it may (1) play a role in transcriptional regulation during neuronal differentiation and pathogenesis of retinoblastoma, (2) act as a transcriptional activator of the heme-oxygenase-1 gene, and (3) be a specific effector of estrogen action. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Oct 2008]

**Protein Families:** Druggable Genome

### Product images:



Coomassie blue staining of purified PRDM2 protein (Cat# [TP327715]). The protein was produced from HEK293T cells transfected with PRDM2 cDNA clone (Cat# [RC227715]) using MegaTran 2.0 (Cat# [TT210002]).